
THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2006
© COPYRIGHT 2006 - ALL RIGHTS RESERVED.


LOC	DIST
J	

REVISIONS 変更

P	LTR	DESCRIPTION	DATE	DWN	APVD
	D	REVISED	14JUN2013	H.U	N.Y





40POS(X-KEY):1-1903128-0



RECOMMENDED PANEL LAYOUT
(APRICATABLE PANEL THICKNESS : 0.8, 1.0, 1.6, 2.0)

パネル加工推奨寸法図
（適用パネル厚 : 0.8, 1.0, 1.6, 2.0）





1. MATERIAL: GLASS FILED THERMO PLASTIC POLYESTER(94V-0), COLOR:BLACK
2. THE SHAPE, SIZE AND POSITION OF THE CHARACTER SHOW THE OUTLINE. THEY DON'T SHOW DETAILS.

1．材料：ガラス入り熱可塑性ポリエステル樹脂（94V-0），色：黒
2．文字の形状、大きさ、および位置については、大略を示すものであり、詳細を示すものではありません。

AS SHOWN 40POS : 1-1903128-0

POS	KEY	n	A	B	C	D	E	F	G	H	J	PART NO
40	X	19	38.0	41.0	42.6	41.2	21.3	48.78	48.9	42.9	39.3	1-1903128-0
34	X	16	32.0	35.0	36.6	35.2	18.3	42.78	42.9	36.9	33.3	1-1903128-7
32	X	15	30.0	33.0	34.6	33.2	17.3	40.78	40.9	34.9	31.3	1-1903128-6
28	X	13	26.0	29.0	30.6	29.2	15.3	36.78	36.9	30.9	27.3	1-1903128-4
26	X	12	24.0	27.0	28.6	27.2	14.3	34.78	34.9	28.9	25.3	1-1903128-3
22	X	10	20.0	23.0	24.6	23.2	21.3	30.78	30.9	24.9	21.3	1-1903128-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 単位: 粍 mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
一般公差 ±0.3,±3°
0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±

MATERIAL 材料
FINISH 仕上

DWN M.MAEBASHI 17APR2006
CHK T.KUDO 17APR2006
APVD D.MITSUGI 17APR2006
PRODUCT SPEC 製品規格 108-78268,78298
APPLICATION SPEC 取付適用規格 114-5377
WEIGHT

TE Connectivity

NAME 名称 DYNAMIC D1100D 2.0mm PITCH TAB HSG, PANEL MOUNT TYPE 22-40 POS

SIZE	CAGE CODE	DRAWING NO 番号	RESTRICTED TO
A2	00779	C-1903128	

CUSTOMER DRAWING


SCALE 尺度 4:1 SHEET 1 OF 3 REV D

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2006
© COPYRIGHT 2006 - ALL RIGHTS RESERVED.


LOC	DIST
J	

REVISIONS 変更


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-





34POS(X-KEY):1-1903128-7




32POS(X-KEY):1-1903128-6









THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 単位: 粍 mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差

0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES	±

MATERIAL 材料

FINISH 仕上

DWN	M.MAEBASHI 17APR2006
CHK	T.KUDO 17APR2006
APVD	D.MITSUGI 17APR2006
PRODUCT SPEC 製品規格	108-78268,78298
APPLICATION SPEC 取付通用規格	114-5377
WEIGHT	

TE Connectivity

NAME 名称: DYNAMIC D1100D 2.0mm PITCH TAB HSG, PANEL MOUNT TYPE 22-40 POS

SIZE	CAGE CODE	DRAWING NO 番号	RESTRICTED TO
A2	00779	C-1903128	

CUSTOMER DRAWING


SCALE 尺度 4:1 SHEET 2 OF 3 REV D

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2006
© COPYRIGHT 2006 - ALL RIGHTS RESERVED.


LOC	DIST
J	


REVISIONS 変更


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




28POS(X-KEY):1-1903128-4










26POS(X-KEY):1-1903128-3








22POS(X-KEY):1-1903128-1





THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 単位： 粍 mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差

0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES	±

MATERIAL 材料

FINISH 仕上

DWN	M.MAEBASHI 17APR2006
CHK	T.KUDO 17APR2006
APVD	D.MITSUGI 17APR2006
PRODUCT SPEC 製品規格	108-78268,78298
APPLICATION SPEC 取付適用規格	114-5377
WEIGHT	

TE Connectivity

NAME 名称: DYNAMIC D1100D 2.0mm PITCH TAB HSG, PANEL MOUNT TYPE 22-40 POS

SIZE	CAGE CODE	DRAWING NO 番号	RESTRICTED TO
A2	00779	C-1903128	

CUSTOMER DRAWING

SCALE 尺度 4:1 SHEET 3 OF 3 REV D


Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.