REV	ECN	APP'D
-	3750	JEC 5/3/99
A	3893	JEC 1/6/00
B	3677	
C	6031	PJC 3-06-07
D	6138	PJC 10-22-07
E	6188	PJC 2-26-08

FXP SERIES PART NUMBERING SCHEME

FXP ____ 2 ____ ____ ____ ____

TYPE
T - STANDARD

NUMBER OF POSITIONS
02-24

CENTERLINE SPACING
2 - .200"

STYLE (STANDARD)
0 - BLACK, 100% TIN PLATING
G - GREEN, 100% TIN PLATING
1 - BLACK, SELECTIVE GOLD
2 - GREEN, SELECTIVE GOLD

EARS
E - EARS (STD. SCREW)
(OFFSET EVEN POSITION)
(IN-LINE ODD POSITIONS)
EN - EARS (RECESSED SCREW)
(EVEN POSITION ONLY)

OTHER OPTIONS
0 = STANDARD
M = L-R MARKING
A = R-L MARKING

CONSULT PCD FOR PART # AND AVAILABILITY OF FOLLOWING OPTIONS

- CUSTOM COLORS
- CUSTOM MARKING
- CUSTOM KEYING
- SELECTIVE CONTACT LOADING

# POS	DIM "A"
2	.40
3	.60
4	.80
5	1.00
6	1.20
7	1.40
8	1.60
9	1.80
10	2.00
11	2.20
12	2.40
13	2.60
14	2.80
15	3.00
16	3.20
17	3.40
18	3.60
19	3.80
20	4.00
21	4.20
22	4.40
23	4.60
24	4.80

RATINGS
CURRENT - 15A
VOLTAGE - 300V
U.L. FILE NO. E83421

RATINGS
CURRENT - 15A
VOLTAGE - 300V
CSA FILE NO. LR69703

DIN VDE 0627:1986
DIN VDE 0110-1:1989
EN 60947-1:1991
EN 60947-7-1:1992

CURRENT - PENDING
VOLTAGE - PENDING
TUV FILE NO. PENDING

INSTALLATION RECOMMENDATIONS
WIRE RANGE: AWG #12-26, STRANDED
WIRE STRIP LENGTH: .310"
TIGHTENING TORQUE: 10 IN-LB

MATERIALS:
HOUSING: PPO, UL 94 V-0
CONTACT: COPPER ALLOY
SCREW: STEEL, NICKEL FINISH

MAX OPERATING TEMPERATURE: 105°C

DIMENSIONS	TOLERANCES	PROJECTION
ANSI Y14.5M	.XX ±0.02	
UNITS: INCHES	.XXX ±0.010	
Pro/E FILE	ANGLES ±0.5°	

AMPHENOL PCD
SPECIFICATION DRAWING

ENGR: D. MANTER 03-May-99
CHKD: A. PATRIE 03-May-99
APPD: J. CAHALY 03-May-99

TITLE
FXP SERIES PLUG ASSEMBLY

ORIGINAL


THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION WHICH IS THE CONFIDENTIAL PROPERTY OF AMPHENOL PCD PEABODY, MA, USA

SIZE	DWG NO.	REV
A	FXPTXX200	E


CODE: 58982 | SCALE: NONE | SHEET 1 OF 3

REV	ECN	APP'D


EVEN CONFIG W/O EARS



EVEN CONFIG W/ OFFSET EARS




ODD CONFIG W/O EARS




DIM A = NUM OF POS X CL SPACING

ODD CONFIG W/ INLINE EARS




SIZE	DWG NO.	REV
A	FXPTXX200	E
CODE: 58982	SCALE: NONE	SHEET 2 OF 3

REV	ECN	APP'D



EVEN CONFIG W/ IN-LINE EARS & RECESSED MOUNTING SCREW



SIZE	DWG NO.	REV
A	FXPTXX200	E
CODE: 58982	SCALE: NONE	SHEET 3 OF 3


Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.