


断 面 A-A
SECTION A-A
(SCALE:20-1)

注記：
NOTES:

1. 適合ハウジング： 70066−＊＊＊＊, 70107−＊＊＊＊
   APPLICABLE HOUSING: 70066−＊＊＊＊, 70107−＊＊＊＊
2. 仕上げ　　ニッケル下地、錫メッキ
   FINISH　　TIN OVER NICKEL PLATING

D	C	B	A	適用電線表示 CRIMP SIZE CODE LETTER	被覆外径 INS. RANGE	適用電線範囲 WIRE RANGE	端子形状 FORM	MATERIAL No.
1.91	2.1	1.47	1.22	A	ø 1.6 MAX.	AWG#24-#30	バラ状 LOOSE	70021-0204
							連鎖状 CHAIN	70021-0004
1.91	2.1	1.65	1.84	C		AWG#22-#24	バラ状 LOOSE	70021-0221
							連鎖状 CHAIN	70021-0021

角度 ANGLE	±3°	B	変更 REVISED (J2004-4519)	Y.W M.S	'04/05/31
30以上 OVER	±0.3	A	変更 REVISED (T20159)	H.H H.I	'91/5/20
10以上 OVER 30未満 UNDER	±0.25	0	新規作成 RELEASED (T00110)	A.M M.S	'90/4/6
10未満 UNDER	±0.2	記号 LTR	変更内容 REVISION RECORD	DR. CHK.	日付 DATE
一般公差 GENERAL TOLERANCES		REVISE ONLY ON CAD SYSTEM			

材料 MATERIAL	燐青銅 PHOSPHOR BRONZE t 0.203
仕上げ FINISH	注記参照 SEE NOTES
適用電線範囲 WIRE RANGE	表参照 SEE CHART
被覆外径 INS. RANGE	表参照 SEE CHART
DRAWN BY	S. Mitake
CHK'D BY	M. Arao
APP'D BY	S. Yamada
尺度 SCALE	10-1

molex MOLEX-JAPAN CO.,LTD. 日本モレックス株式会社

EDP. NO. —#—

ENG. NO. SD-70021- 0*04/0*21 REV B

TITLE 名称
SL MALE CRIMP TERMINAL
-LEAD FREE-


S70021SN.DGN


:MM DIMENSIONS IN METRIC DO NOT SCALE DRAWING

ENG. NO SD-70021- 0*04/0*21

EDP NO. —#—

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX(JAPAN) AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION
本図面は日本モレックス（株）の所有する情報を含むもので当社の許可なく複製を禁止する。





NOTES:
1. MATERIAL: PHOSPHOR BRONZE, 0.20/.008 THICK
2. FINISH: 3.81 MICROMETERS/150 MICROINCHES TIN OVER NICKEL UNDERPLATE OVERALL
3. PRODUCT SPECIFICATION: PS-70021
4. PACKAGING: PARTS SUPPLIED IN REEL FORM
5. TEMINAL FOR USE WITH: 70066-**** & 70107-**** HOUSINGS
6. TERMINAL TO BE USED WITH: 22-24 AWG STRANDED WIRE WITH .064 DIAMETER MAXIMUM INSULATION
7. REFER TO MOLEX OPERATIONAL AND SERVICE MANUAL FOR DETAILS
8. CRIMP SIZE INDICATOR: C=22-24 AWG

REV	DESCRIPTION
E	ADD VIEWS W/CARRIER EC NO: UCP2010-2842 DRWN:MSIBARRA 2010/05/07 CH'KD:DMORGAN 2010/05/07 APPR:SMILLER 2010/05/11

QUALITY SYMBOLS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± .13	± .01
1 PLACE	± 0.25	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE
DESIGN UNITS: INCH
THIRD ANGLE PROJECTION

DRAWN BY	MSIBARRA	DATE 2010/05/07
CHECKED BY	MJM	DATE 1986/10/30
APPROVED BY	SMILLER	DATE 2010/05/11
MATERIAL NO.	16-02-0107	


TITLE: TERMINAL, MALE CRIMP


MOLEX INCORPORATED

DOCUMENT NO. SD-70021-0021
SHEET NO. 1 OF 1

SIZE C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION





SCALE 8:1

NOTES:
1. MATERIAL: PHOSPHOR BRONZE, 0.20/.008 THICK
2. FINISH: 3.81 MICROMETERS/150 MICROINCHES TIN OVER NICKEL UNDERPLATE OVERALL
3. PRODUCT SPECIFICATION: PS-70021
4. PACKAGING: PARTS SUPPLIED IN REEL FORM
5. TEMINAL FOR USE WITH: 70066-**** & 70107-**** HOUSINGS
6. TERMINAL TO BE USED WITH: 22-24 AWG STRANDED WIRE WITH .064 DIAMETER MAXIMUM INSULATION
7. REFER TO MOLEX OPERATIONAL AND SERVICE MANUAL FOR DETAILS
8. CRIMP SIZE INDICATOR: C=22-24 AWG

REV	DESCRIPTION	
B	ADD VIEW W/CARRIER EC NO: UCP2010-2842	2010/05/07
	DRWN:MSIBARRA	2010/04/29
	CH'KD:DMORGAN	2010/05/11
	APPR:SMILLER	

QUALITY SYMBOLS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .010
2 PLACES	± 0.25	± .015
1 PLACE	± 0.35	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE	MM/IN
SCALE	15:1
DESIGN UNITS	INCH
	THIRD ANGLE PROJECTION
DRAWN BY	MSIBARRA 2010/04/29
CHECKED BY	DMORGAN 2010/04/29
APPROVED BY	SMILLER 2010/05/11
TITLE	TERMINAL, MALE CRIMP
	MOLEX INCORPORATED
MATERIAL NO.	70021-1021
DOCUMENT NO.	SD-70021-1021
SHEET NO.	1 OF 1
SIZE	C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION


Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.