










TERMINAL INSERTED DRAWING
SCALE 2:1











## NOTES

1. MATERIAL : POLYESTER, UL94V-0
Ⓕ 2. FINISH : VARIABLE COLOR (SEE LEGEND)
3. PRODUCT SPECIFICATION NO : PS-35507-001
4. APPLICABLE TERMINAL : 50212-8000
5. MATES WITH : 35362-**1*, 35363-**1*




Ⓒ LEGEND




| CKT | ENG NO. | F | E | D | C | B | A |
|---|---|---|---|---|---|---|---|
| 15 | -150* | 31.1 | 28 | 27.8 | 32.3 | 4 | 4 |
| 14 | -140* | 29.1 | 26 | 25.8 | 30.3 | | |
| 13 | -130* | 27.1 | 24 | 23.8 | 28.3 | | |
| 12 | -120* | 25.1 | 22 | 21.8 | 26.3 | | |
| 11 | -110* | 23.1 | 20 | 19.8 | 24.3 | | |
| 10 | -100* | 21.1 | 18 | 17.8 | 22.3 | | |
| 9 | -090* | 19.1 | 16 | 15.8 | 20.3 | 7 | 7 |
| 8 | -080* | 17.1 | 14 | 13.8 | 18.3 | 8.0 | 10.8 |
| 7 | -070* | 15.1 | 12 | 11.8 | 16.3 | 4 | 4 |
| 6 | -060* | 13.1 | 10 | 9.8 | 14.3 | | |
| 5 | -050* | 11.1 | 8 | 7.8 | 12.3 | | |
| 4 | 35507-040* | 9.1 | 6 | 5.8 | 10.3 | 4.0 | Ⓖ 6.4 |

| REVISED | | | REV |
|---|---|---|---|
| EC NO: KOR2008-0029 | DRWN: JHLEE05 | 2009/12/18 | G |
| | CH'KD: KSKIM | 2009/12/18 | |
| | APPR: YUNSIKKIM | 2009/12/21 | |
| DESCRIPTION | | | |

| GENERAL TOLERANCE | |
|---|---|
| 30 over | ±0.3 |
| 10 over 30 under | ±0.25 |
| 10 under | ±0.2 |
| ANGLE | ±3° |

QUALITY SYMBOLS
▼=1
▽C=0

| GENERAL TOLERANCES (UNLESS SPECIFIED) | mm | INCH |
|---|---|---|
| 4 PLACES | ± --- | ± --- |
| 3 PLACES | ± --- | ± --- |
| 2 PLACES | ± --- | ± --- |
| 1 PLACE | ± --- | ± --- |
| ANGULAR ±---° | | |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

| | | |
|---|---|---|
| DIMENSION STYLE | SCALE | DESIGN UNITS |
| MM ONLY | 1:1 | METRIC |

THIRD ANGLE PROJECTION

| | | |
|---|---|---|
| DRAWN BY | YSKIM02 | DATE 1996/09/11 |
| CHECKED BY | YSKIM04 | DATE 1996/09/11 |
| APPROVED BY | CWLEE | DATE 1996/09/12 |
| MATERIAL NO. | SEE TABLE | |


TITLE: 2.0 W-T-B CONN HOUSING 4-15P ONLY


MOLEX INCORPORATED


DOCUMENT NO. SD-35507-001 SHEET NO. 1 OF 3

SIZE A3


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION










FOR 2 & 3 CKTS.




Ⓒ LEGEND




NOTES

1. MATERIAL : POLYESTER, UL94V-0
2. FINISH : VARIABLE COLOR (SEE LEGEND)
3. PRODUCT SPECIFICATION NO : PS-35507-001
4. APPLICABLE TERMINAL : 50212-8000
5. MATES WITH : 35362-**1*, 35363-**1*

| 2.5 | 9.2 | 7.1 | 4 | -030* | 3 |
|---|---|---|---|---|---|
| 1.7 | 7.2 | 5.1 | 2 | 35507-020* | 2 |
| D | C | B | A | ENG NO. | CKT |

| | |
|---|---|
| 30 over | *0.3 |
| 10 over 30 under | ±0.25 |
| 10 under | ±0.2 |
| ANGLE | ±3° |
| GENERAL TOLERANCE | |

REVISED
EC NO: KOR2008-0029 2009/12/18
DRWN: JHLEE05 2009/12/18
CH'KD: KSKIM 2009/12/21
APPR: YUNSIKKIM
DESCRIPTION
G
REV

QUALITY SYMBOLS
▼=0
Ⓒ=0


GENERAL TOLERANCES (UNLESS SPECIFIED)


| | mm | INCH |
|---|---|---|
| 4 PLACES | ± --- | ± --- |
| 3 PLACES | ± --- | ± --- |
| 2 PLACES | ± --- | ± --- |
| 1 PLACE | ± --- | ± --- |
| ANGULAR ±---° | | |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

| | |
|---|---|
| DIMENSION STYLE | MM ONLY |
| SCALE | 1:1 |
| DESIGN UNITS | METRIC |
| | THIRD ANGLE PROJECTION |
| DRAWN BY | YSKIM02 |
| DATE | 1996/09/11 |
| CHECKED BY | YSKIM04 |
| DATE | 1996/09/11 |
| APPROVED BY | CWLEE |
| DATE | 1996/09/11 |
| MATERIAL NO. | SEE TABLE |
| TITLE | 2.0 W-T-B CONN HOUSING 2 TO 3P ONLY |
| | MOLEX INCORPORATED |
| DOCUMENT NO. | SD-35507-001 |
| SHEET NO. | 2 OF 3 |
| SIZE | A3 |


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION










TERMINAL INSERTED DRAWING
SCALE 8:1

ISOMETRIC VIEW













NOTES

1. MATERIAL : POLYESTER, NON GLASS FILLED, UL94V-0
2. FINISH : VARIABLE COLOR (SEE LEGEND)
3. PRODUCT SPECIFICATION : PS-35507-001
4. APPLICABLE TERMINAL : 50212-8000
5. MATES WITH : 35362-**1*, 35363-**1*

C LEGEND




| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| G | 8.0 | 10.8 | 37.8 | 42.3 | 41.1 | 38 | 35507200* | 35507-200* | 20 |
| G | 8.0 | 10.8 | 35.8 | 40.3 | 39.1 | 36 | 35507190* | 35507-190* | 19 |
| G | 8.0 | 10.8 | 33.8 | 38.3 | 37.1 | 34 | 35507180* | 35507-180* | 18 |
| G | 8.0 | 10.8 | 31.8 | 36.3 | 35.1 | 32 | 35507170* | 35507-170* | 17 |
| G | 8.0 | 10.8 | 29.8 | 34.3 | 33.1 | 30 | 35507160* | 35507-160* | 16 |
| | F | E | D | C | B | A | MATERIAL NO. | ENG NO. | CKT |

REVISED
EC NO: KOR2008-0029 2009/12/18
DRWN: JHLEE05 2009/12/18
CH'KD: KSKIM 2009/12/21
APPR: YUNSIKKIM
DESCRIPTION
H
REV

QUALITY SYMBOLS
▼=0
C ▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

| | mm | INCH |
|---|---|---|
| 4 PLACES | ± --- | ± --- |
| 3 PLACES | ± --- | ± --- |
| 2 PLACES | ± --- | ± --- |
| 1 PLACE | ± --- | ± --- |
| ANGULAR ±---° | | |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

| | |
|---|---|
| DIMENSION STYLE | MM ONLY |
| SCALE | 1:1 |
| DESIGN UNITS | METRIC |
| | THIRD ANGLE PROJECTION |
| DRAWN BY | YSKIM02 |
| DATE | 1996/09/11 |
| CHECKED BY | YSKIM04 |
| DATE | 1996/09/11 |
| APPROVED BY | CWLEE |
| DATE | 1996/09/11 |
| MATERIAL NO. | SEE TABLE |
| TITLE | 2.0 W-T-B CONN HOUSING |
| | MOLEX INCORPORATED |
| DOCUMENT NO. | SD-35507-001 |
| SHEET NO. | 3 OF 3 |
| SIZE | A3 |

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION


Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.




**Как с нами связаться**

**Телефон:** 8 (812) 309 58 32 (многоканальный)
**Факс:** 8 (812) 320-02-42
**Электронная почта:** org@eplast1.ru
**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.