














RECEPTACLE
HOUSING

(NOT TO SCALE)









PLUG
HOUSING

(NOT TO SCALE)

TRANSLATED TO S.D.		
EC NO: UCP2004-2551		
DRWN:RHOLTS	2004/12/03	
CH'KD:FSMITH	2004/12/03	
APPR:FSMITH	2004/12/06	
DESCRIPTION		
REV		
J		

QUALITY SYMBOLS

▼ - 0

▽ (C) - 0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .010
2 PLACES	± 0.25	± .014
1 PLACE	± 0.36	± ---
ANGULAR ± 1 °		

DRAFT WHERE APPLICABLE

MUST REMAIN
WITHIN DIMENSIONS

SCALE	1:1
DESIGN UNITS	INCH
DIMENSION STYLE	IN/MM
DRAWN BY	GWC
DATE	1993/02/01
CHECKED BY	RW
DATE	1993/02/01
APPROVED BY	RAS
DATE	1993/02/01

THIRD ANGLE PROJECTION

REVISE ON CAD ONLY

TITLE

.062/(1.57) HOUSINGS,
PLUG & RECEPTACLE
12 CKT, 145 CENTERS

MOLEX INCORPORATED

MATERIAL NO.	DOCUMENT NO.	SHEET NO.
SEE CHART	SD-1625-12*	1 OF 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

C

fb_frame_C-B1
rev. B1 2000/08/01

PLUG	
PART NO.	ENG. NO.
03-06-2121	1625-12P ⚠6
03-06-7121	1625-12PBK ⚠6
03-06-2122	1625-12P1
03-06-7122	1625-12P1BK

RECEPTACLE		
PART NO.	ENG. NO.	
03-06-1121	1625-12R ⚠6	
03-06-6121	1625-12RBK ⚠6	
03-06-1122	1625-12R1	
03-06-6122	**1625-12R1BK**	**OBSOLETE**

RECEPTACLE LEGEND


1625-12R***


- CIRCUIT SIZE
- R = RECEPTACLE
- BLANK = WITH PREBENT MOUNTING EARS
  1 = WITHOUT EARS
- COLOR:
  - BLANK = NATURAL COLOR
  - AM = AMBER BK = BLACK BU = BLUE
  - BN = BROWN GY = GRAY GN = GREEN
  - OR = ORANGE RD = RED YW = YELLOW


PLUG LEGEND

1625-12P***

- CIRCUIT SIZE
- P = PLUG
- BLANK = WITH PREBENT EARS
  1 = WITHOUT EARS
- COLOR:
  - BLANK = NATURAL COLOR
  - AM = AMBER BK = BLACK BU = BLUE
  - BN = BROWN GY = GRAY GN = GREEN
  - OR = ORANGE RD = RED YW = YELLOW









DETAIL 1

STANDARD MOUNTING EAR
SCALE 4:1





DETAIL 2

.062/(1.57)PREBENT MOUNTING EAR
SCALE 4:1

RECOMMENDED HOLE PATTERN

RECEP.	.795 (20.19)	.563 (14.30)		.23 (5.8)
PLUG	.903 (22.94)	.614 (15.60)	.21 (5.3)	.22 (5.5)
PART	DIM. A	DIM. B	DIM. C (STANDARD EAR)	DIM. C (PREBENT EAR)

NOTES:

1. MATERIAL: NYLON TYPE 6/6, 94V-2.
2. FINISH: NONE
3. PRODUCT SPECIFICATION: PS-02-06
4. PACKAGING INFORMATION: PK-1625-001
5. THIS HOUSING FOR USE WITH .062/(1.57) DIA. TERMINALS.

⚠6 WHERE DENOTED IN CHART, TOOLS ARE BUILT WITH PREBENT MOUNTING EARS PER DETAIL 2 AND SUPERSEDE ALL TOOLS PREVIOUSLY BUILT WITH THE STANDARD MOUNTING EARS.

⚠7 CIRCUIT I.D. NUMBERS APPEAR ON PARTS FROM TOOLS BUILT AFTER 2/1/93.

TRANSLATED TO S.D.
EC NO: UCP2004-2551 2004/12/03
DRWN:RHOLTS 2004/12/03
CH'KD:FSMITH 2004/12/06
APPR:FSMITH 2004/12/06
DESCRIPTION
REV J

QUALITY SYMBOLS
▼ - 0
Ⓒ - 0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .010
2 PLACES	± 0.25	± .014
1 PLACE	± 0.36	± ---
ANGULAR ± 1 °		

DRAFT WHERE APPLICABLE
MUST REMAIN WITHIN DIMENSIONS

SCALE	1:1
DESIGN UNITS	INCH
DIMENSION STYLE	IN/MM
DRAWN BY	GWC
DATE	1993/02/01
CHECKED BY	RW
DATE	1993/02/01
APPROVED BY	RAS
DATE	1993/02/01

THIRD ANGLE PROJECTION — REVISE ON CAD ONLY

TITLE: .062/(1.57) HOUSINGS, PLUG & RECEPTACLE 12 CKT, 145 CENTERS

MOLEX INCORPORATED

MATERIAL NO.	DOCUMENT NO.	SHEET NO.
SEE CHART	SD-1625-12*	2 OF 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

C

OCEAN CHIPS
Океан Электроники
Поставка электронных компонентов

Компания «Океан Электроники» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Поставка оригинальных импортных электронных компонентов напрямую с производств Америки, Европы и Азии, а так же с крупнейших складов мира;
- Широкая линейка поставок активных и пассивных импортных электронных компонентов (более 30 млн. наименований);
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Помощь Конструкторского Отдела и консультации квалифицированных инженеров;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Поставка электронных компонентов под контролем ВП;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- При необходимости вся продукция военного и аэрокосмического назначения проходит испытания и сертификацию в лаборатории (по согласованию с заказчиком);
- Поставка специализированных компонентов военного и аэрокосмического уровня качества (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Actel, Aeroflex, Peregrine, VPT, Syfer, Eurofarad, Texas Instruments, MS Kennedy, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Компания «Океан Электроники» является официальным дистрибьютором и эксклюзивным представителем в России одного из крупнейших производителей разъемов военного и аэрокосмического назначения «**JONHON**», а так же официальным дистрибьютором и эксклюзивным представителем в России производителя высокотехнологичных и надежных решений для передачи СВЧ сигналов «**FORSTAR**».

AVIC JONHON

«JONHON» (основан в 1970 г.)

Разъемы специального, военного и аэрокосмического назначения:

(Применяются в военной, авиационной, аэрокосмической, морской, железнодорожной, горно- и нефтедобывающей отраслях промышленности)

«FORSTAR» (основан в 1998 г.)

ВЧ соединители, коаксиальные кабели, кабельные сборки и микроволновые компоненты:

(Применяются в телекоммуникациях гражданского и специального назначения, в средствах связи, РЛС, а так же военной, авиационной и аэрокосмической отраслях промышленности).

FORSTAR®

Телефон: 8 (812) 309-75-97 (многоканальный)
Факс: 8 (812) 320-03-32
Электронная почта: ocean@oceanchips.ru
Web: http://oceanchips.ru/
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, д. 2, корп. 4, лит. А