


REVISIONS				
MFG.	SH.	REV.	LTR.	
	2	Y1	Y	REDRAWN PER ECR U2-1543 AFG 92-10-22 RW
	1	Y1		
		Y1		OBSOLETE VERSIONS PER ECR U5-0358 9/15/95 RW

REVISE ONLY ON CAD SYSTEM

DIMENSIONS SHOWN (METRIC) INCH

UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1/2°

	INCH	METRIC
3 PLACE	± .010	---
2 PLACE	± .014	± 0.25
1 PLACE	---	± 0.35

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DRWG. BY: AFG | CHK'D. BY: RW | APP'D. BY: RAS | SCALE: 4 : 1

TITLE: 1 CKT. HOUSING RECEPTACLE .093/(2.36) DIAMETER

MOLEX INCORPORATED LISLE,ILL. 60532 U.S.A.

SHEET NO.: 1 OF 2 | DATE: 92/10/22

PART NO.: SEE CHART | DRWG. NO.: SD-1619-1R■

FILE NAME: SR1619X1.DGN

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIV.: CP | SIZE: C

ORDER NO.	ENG. NO.	MATERIAL	LENGTH	DIMENSION "A"	DETENT	FLANGE	MARKING METHOD	COLOR
03-09-1011	1619-IR1B5N1A5	1	B	5	N	1	A	5
03-09-6011	1619-IR1B5N1A6	1	B	5	N	1	A	6
03-09-6012	1619-IR1B5N1A7	1	B	5	N	1	A	7
03-09-6013	1619-IR1B5N1A8	1	B	5	N	1	A	8

NOTES:

1. THIS HOUSING IS FOR USE WITH THE .093/(2.36) DIA. TERMINALS.
2. PRODUCT SPEC. 02-09 APPLIES.
3. FOR VERSIONS SPECIFYING LENGTH "B", PARTS PROVIDED FROM TOOLS BUILT PRIOR TO 9/86 HAVE AN OVERALL LENGTH SPECIFICATION OF 1.00/(25.4).

LEGEND

1619-IR********

CIRCUIT SIZE

TYPE
R) RECEPTACLE

MATERIAL
1) NYLON, TYPE 6/6, FLAMMABILITY RATING: 94V-2.
2) NYLON, TYPE 6/6, FLAMMABILITY RATING: 94V-0, MONSANTO M-340.
3) POLYPROPYLENE, FLAMMABILITY RATING: 94V-0, A. SCHULMAN - POLYFLAM # R.P.P.-958

LENGTH
B) 1.03/(26.2) 3
C) 1.15/(29.2)

DIMENSION "A"
5) .297/(7.54)
6) .294/(7.47)
7) NONE

DETENT
M) NONE
N) WITH DETENT

COLOR
1) AMBER
2) BROWN
3) ORANGE
4) GRAY
5) NATURAL
6) BLACK
7) RED
8) BLUE
9) GREEN
0) YELLOW

MARKING METHOD
A) NOT APPLICABLE

FLANGE
1) NONE
2) WITH FLANGE

LTR.	REVISIONS	LTR.	REVISIONS
		Y1	SEE SHEET 1
		Y	SEE SHEET 1

DIMENSIONS SHOWN (METRIC) INCH
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1/2°

	INCH	METRIC
3 PLACE	± .010	---
2 PLACE	± .014	± 0.25
1 PLACE	---	± 0.35

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DRWG. BY AFG | CHK'D. BY RW | APP'D. BY RAS | SCALE --:--

▽ = 0 ▼ = 0 REVISE ONLY ON CAD SYSTEM

TITLE: 1 CKT. HOUSING RECEPTACLE .093/(2.36) DIAMETER

molex MOLEX INCORPORATED LISLE,ILL. 60532 U.S.A.

SHEET NO. 2 | DATE 92/10/20

PART NO. SEE CHART | DRWG. NO. SD-1619-IR*

FILE NAME SR1619X2.DGN

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIV. CP | SIZE C

LifeElectronics
Живое партнерство

ООО «ЛайфЭлектроникс» **“LifeElectronics” LLC**

ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 30101810900000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- *Конкурентоспособные цены и скидки постоянным клиентам.*
- *Специальные условия для постоянных клиентов.*
- *Подбор аналогов.*
- *Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.*

- *Приемлемые сроки поставки, возможна ускоренная поставка.*
- *Доставку товара в любую точку России и стран СНГ.*
- *Комплексную поставку.*
- *Работу по проектам и поставку образцов.*
- *Формирование склада под заказчика.*

- *Сертификаты соответствия на поставляемую продукцию (по желанию клиента).*
- *Тестирование поставляемой продукции.*
- *Поставку компонентов, требующих военную и космическую приемку.*
- *Входной контроль качества.*
- *Наличие сертификата ISO.*

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- *Регистрацию проекта у производителя компонентов.*
- *Техническую поддержку проекта.*
- *Защиту от снятия компонента с производства.*
- *Оценку стоимости проекта по компонентам.*
- *Изготовление тестовой платы монтаж и пусконаладочные работы.*

Тел: +7 (812) 336 43 04 (многоканальный)
Email: org@lifeelectronics.ru

www.lifeelectronics.ru