
PRODUCT NUMBER

XXXXX–XYY HTLF


- LEAD FREE OPTION (SEE NOTES 1)
- PACKAGING OPTIONS (SEE NOTE 1)
- HIGH TEMPERATURE PLASTIC (SEE NOTE 1)
- NO OF POSITIONS (SEE NOTE 1)
- PIN PLATING (SEE SHEET 2
- BASE PART NO.

68000–X XX–XXX XXX LF


- TAIL LENGTH (EXAMPLE BELOW) 3.0mm=030 12.8mm=128 (SEE NOTE 15 & 16)
- MATTING LENGTH (EXAMPLE BELOW) 5.0mm=050 25.5mm=255 (SEE NOTE 15 & 16)
- TOTAL NUMBER OF POSITION FROM 1 THRU 36 POS. (SEE NOTE 1)
- PIN PLATING (SEE NOTE 13) 1=0.76µm Au 4= PURE TIN 8=0.36µm Au
- BASE PART NO.





TOP VIEW





RECOMMENDED HOLE PATTERN




SIDE VIEW




END VIEW




DETAIL P
TYP BOTH ENDS

| rev | ecn no | dr | date |
|---|---|---|---|
| CY | ELX-N-011895 | JZ | 2012-06-12 |
| | | | |
| CT | M08-0265 | MHT | 9/23/08 |
| CU | M08-0331 | MHT | 12/01/08 |
| CV | M09-0090 | MHT | 6/19/09 |
| CW | M09-0105 | MHT | 7/10/09 |
| CX | N11-0118 | JZ | 2011-04-11 |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| www.fciconnect.com | | | surface 6.4 ISO 1302 | | tolerance std ISO 406 ISO 1101 | | projection | INCH/MM |
| | | | TOLERANCES UNLESS OTHERWISE SPECIFIED | | | | | |
| Dr | T.BREWBAKER | 01/05/95 | ANGULAR | LINEAR | 0.X | ±0.3 | size A4 | Scale 1.000 |
| Eng | T.HANNA | 01/05/95 | | | 0.XX | ±0.15 | | |
| Chr | J.MURPHY | 01/05/95 | 0° ±2° | | 0.XXX | ±0.05 | ECN | ELX-N-011895 |
| Appr | T.HANNA | 01/05/95 | Product family | BERGSTIK | | | Spec ref | |

| | | | |
|---|---|---|---|
| title | BERGSTIK® II HEADER .100/2.54cc SR STRAIGHT | dwg no 68000 | Rev. CY |
| catalog no | | CUSTOMER | sheet 1 of 8 |

Copyright FCI.

REV F - 2006-04-17

| PIN PLATING CODES: | |
|---|---|
| XXXXX-1YY | 30u"/0.76u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni |
| XXXXX-2YY | 15u"/0.38u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni |
| XXXXX-3YY | 50u"/1.27u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni |
| XXXXX-4YY<br>XXXXX-4YYHLF | 100u"/2.54u MIN Sn OVER 50u"/1.27u MIN Ni (SEE NOTE 14) |
| XXXXX-5YY | 15u"/0.38u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni |
| XXXXX-6YY | 30u"/0.76u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni |
| XXXXX-7YY | 30u"/0.76u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni |
| XXXXX-8YY | 15u"/0.38u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni |
| XXXXX-9YY | 15u"/0.38u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni |
| XXXXX-0YY | 30u"/0.76u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni |

NOTES

1. PART NUMBER OPTIONS:

   PIN PLATING CODES (SEE ABOVE)

   HIGH TEMP. MATERIAL:
   PART NUMBERS WITH AND WITHOUT "H" WILL BE SUPPLIED WITH HIGH TEMPERATURE PLASTIC

   NUMBER OF POSITIONS :
   ANY NUMBER OF POSITIONS FROM 1 THRU 36.
   -X00H INDICATES BERGSTRIP PRODUCT. SEE PAGE 3 FOR SPECIAL GEOMETRY OF THIS CONTINUOUS STRIP PRODUCT.
   AUTOMATED REELS WILL CONTAIN 36,000 PINS.
   SEE SPECIFIC PART NUMBERS FOR AVAILABILITY.

   PACKAGING :
   NO INDICATOR IS STANDARD PACKAGING IN POLY BAGS.
   EIGHT DIGIT PART NUMBERS FOLLOWED BY A "T" ARE PACKAGED IN TUBES. SEE SPECIFIC PART NUMBERS FOR AVAILABILITY.
   EIGHT DIGIT PART NUMBERS FOLLOWED BY A "C" ARE PACKAGED IN TUBES WITH PICKUP CAP APPLIED. (NOT TOOLED)
   BERGSTRIP™ PART NUMBERS FOLLOWED BY A "B" ARE BULK PRICED.
   EIGHT DIGIT PART NUMBERS FOLLOWED BY A "A" ARE PACKAGED IN TAPE AND REEL WITH PICKUP CAP APPLIED.

   LEAD FREE :
   ADD "HLF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE

2. BODY MATERIAL :
   BERGSTIK: MANUFACTURER'S OPTION OF NYLON, PCT GLASS FIBER REINFORCED, OR LCP MINERAL FILLED FLAME RETARDENT PER UL-94V-0.
   COLOR : BLACK
   BERGSTRIP™: PRODUCED WITH HIGH TEMPERATURE LCP THERMOPLASTIC, FLAME RETARDENT PER UL-94V-0.
   COLOR : BLACK
   PART NUMBERS WITH AND WITHOUT "H" SUFFIX WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 20 SECONDS IN WAVE SOLDER, INFRA-RED OR VAPOR PHASE SOLDER PROCESS.


3. PIN MATERIAL : PHOS-BRONZE.
4. MEASURED WITH PART IN RESTRAINED CONDITION.
5. TWO SIDES OF PIN TIPS NOT PLATED. TYPICAL BOTH ENDS.
6. 2LBS/0.9KG MIN PIN RETENTION IN EITHER DIRECTION.
7. PIN CANNOT PROTRUDE PAST EDGE OF HOUSING. MUST BE .005±.005/.13±.13 FROM END OF HOUSING HOLE.
8. MILITARY BERGSTIK HEADER
   P/N XXXXX-XYY-MIL.
   NOT AVAILABLE.
9. ±.010/0.25 TOL APPLIES TO ALL "G" TAILS EXCEPT INDICATED PARTS ON TABLE WHERE +.010/0.25 -.000/0.00 APPLIES.
10. INDICATED PART NUMBERS ARE PRODUCED AND SOLD IN THE TAIWAN/SINGAPORE AREAS. THESE ARE NOT AVAILABLE IN BERGSTRIP™ CONTINUOUS STRIP.
11. NOTCH CONFIGURATION WILL VARY PER VENDOR'S DISCRETION.
12. THESE PRODUCTS MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008.
13. PLATING OPTIONS:
    PERFORMANCE PLATING WILL BE EITHER GOLD OR GXT ON POST OR TAIL, OPTIONALLY (78~295u''/2~7.5u) TIN ON TAIL.
14. "THIS PRODUCT HAS 100% TIN PLATING IN THE INTERFACE AND HAS NOT BEEN TESTED FOR WHISKER GROWTH IN ALL INTERCONNECT ENVIRONMENTS."
15. THE OAL DON'T EXCEED 34.5mm
16. INCREMENTS BY 0.1mm IN LENGTHS ONLY
17. FOR SPECIAL PACKAGING REQUEST PLEASE CONTACT PRODUCT MANAGER FOR AVAILABILITY
18. TO DETERMINE DIMENSIONS:
    N=NUMBER OF POSITION PER ROW
    EXAMPLE: 10 POS. N X .100/2.54


| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| www.fciconnect.com | | | surface ISO 1302 | | tolerance std ISO 406 ISO 1101 | | projection | INCH/MM |
| | | | TOLERANCES UNLESS OTHERWISE SPECIFIED | | | | | |
| Dr | T.BREWBAKER | 01/05/95 | ANGULAR | LINEAR | 0.X | ±0.3 | size A4 | Scale 1.000 |
| Eng | T.HANNA | 01/05/95 | | | 0.XX | ±0.15 | | |
| Chr | J.MURPHY | 01/05/95 | 0° ±2° | | 0.XXX | ±0.05 | ECN | ELX-N-011895 |
| Appr | T.HANNA | 01/05/95 | Product family | BERGSTIK | | | Spec ref | |
| title | BERGSTIK® II HEADER .100/2.54cc SR STRAIGHT | | | | dwg no | 68000 | | Rev. CY |
| catalog no | | | | | CUSTOMER | | sheet 2 of 8 | |


Copyright FCI.

REV F - 2006-04-17


BERGSTRIP™ HEADER




REEL PACKING DIMENSIONS




| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| www.fciconnect.com | | | surface ISO 1302 | | tolerance std ISO 406 ISO 1101 | | projection | INCH/MM |
| | | | TOLERANCES UNLESS OTHERWISE SPECIFIED | | | | | |
| Dr | T.BREWBAKER | 01/05/95 | ANGULAR | LINEAR | 0.X | ±0.3 | size A4 | Scale 1.000 |
| Eng | T.HANNA | 01/05/95 | | | 0.XX | ±0.15 | | |
| Chr | J.MURPHY | 01/05/95 | 0° ±2° | | 0.XXX | ±0.05 | ECN | ELX-N-011895 |
| Appr | T.HANNA | 01/05/95 | Product family | | BERGSTIK | | Spec ref | |
| FCI | title | BERGSTIK® II HEADER .100/2.54cc SR STRAIGHT | | | dwg no | 68000 | | Rev. CY |
| | catalog no | | | | CUSTOMER | | sheet 3 of 8 | |

Copyright FCI.

REV F - 2006-04-17

| PRODUCT NUMBER | TOTAL PIN LGTH | | TAIL LENGTH | | MATING LENGTH | | | | BERGSTRIP™ AVAILABLE | LF OPTION |
|---|---|---|---|---|---|---|---|---|---|---|
| | DIM F | DIM F | DIM G | DIM G | DIM H | DIM H | | | | |
| | ENGLISH | METRIC | ENGLISH | METRIC | ENGLISH | METRIC | PACKAGING | NOTES | | |
| 55492-XYYH | 0.315 | 8.00 | 0.095 | 2.41 | 0.120 | 3.05 | POLY BAGS | – | NO | NOTE 1,12 |
| 60017-XYYH | 0.620 | 15.75 | 0.210 | 5.33 | 0.310 | 7.87 | POLY BAGS | – | NO | |
| 60018-XYYH | 0.660 | 16.76 | 0.250 | 6.35 | 0.310 | 7.87 | POLY BAGS | – | NO | |
| 63334-XYYH | 0.435 | 11.05 | 0.095 | 2.41 | 0.240 | 6.10 | POLY BAGS | – | NO | |
| 68000-XYY | 0.425 | 10.80 | 0.095 | 2.41 | 0.230 | 5.84 | POLY BAGS | – | YES | |
| 68001-XYY | 0.450 | 11.43 | 0.120 | 3.05 | 0.230 | 5.84 | POLY BAGS/TUBES | – | YES | |
| 68002-XYY | 0.480 | 12.19 | 0.150 | 3.81 | 0.230 | 5.84 | POLY BAGS | – | YES | |
| 68003-XYY | 0.525 | 13.34 | 0.195 | 4.95 | 0.230 | 5.84 | POLY BAGS | – | NO | |
| 68004-XYY | 0.525 | 13.34 | 0.107 | 2.72 | 0.318 | 8.08 | POLY BAGS | – | YES | |
| 68024-XYY | 0.568 | 14.43 | 0.150 | 3.81 | 0.318 | 8.08 | POLY BAGS | – | YES | |
| 68031-XYY | 0.513 | 13.03 | 0.183 | 4.65 | 0.230 | 5.84 | POLY BAGS | – | NO | |
| 68032-XYY | 0.543 | 13.79 | 0.213 | 5.41 | 0.230 | 5.84 | POLY BAGS | – | NO | |
| 68033-XYY | 0.708 | 17.98 | 0.473 | 12.01 | 0.135 | 3.43 | POLY BAGS | – | NO | |
| 68415-XYY | 0.615 | 15.62 | 0.115 | 2.92 | 0.400 | 10.16 | POLY BAGS | – | NO | |
| 68416-XYY | 0.813 | 20.65 | 0.483 | 12.27 | 0.230 | 5.84 | POLY BAGS | – | NO | |
| 68418-XYY | 0.730 | 18.54 | 0.400 | 10.16 | 0.230 | 5.84 | POLY BAGS | – | NO | |
| 68422-XYY | 0.631 | 16.03 | 0.213 | 5.41 | 0.318 | 8.08 | POLY BAGS | – | NO | |
| 68443-XYY | 0.755 | 19.18 | 0.425 | 10.80 | 0.230 | 5.84 | POLY BAGS | – | NO | |
| 68456-XYY | 0.825 | 20.96 | 0.115 | 2.92 | 0.610 | 15.49 | POLY BAGS | – | NO | |
| 68457-XYY | 0.548 | 13.92 | 0.130 | 3.30 | 0.318 | 8.08 | POLY BAGS | – | NO | |
| 68465-XYY | 0.925 | 23.50 | 0.595 | 15.11 | 0.230 | 5.84 | POLY BAGS | – | NO | |
| 68466-XYY | 0.925 | 23.50 | 0.128 | 3.25 | 0.697 | 17.70 | POLY BAGS | – | NO | |
| 68472-XYY | 0.913 | 23.19 | 0.413 | 10.49 | 0.400 | 10.16 | POLY BAGS | – | NO | |
| 68479-XYY | 0.718 | 18.24 | 0.388 | 9.86 | 0.230 | 5.84 | POLY BAGS | – | NO | |
| 68483-XYY | 0.835 | 21.21 | 0.417 | 10.59 | 0.318 | 8.08 | POLY BAGS | – | NO | |
| 68487-XYY | 0.705 | 17.91 | 0.110 | 2.79 | 0.495 | 12.57 | POLY BAGS | – | NO | |
| 68489-XYY | 1.095 | 27.81 | 0.765 | 19.43 | 0.230 | 5.84 | POLY BAGS | – | NO | |
| 68490-XYY | 1.025 | 26.04 | 0.695 | 17.65 | 0.230 | 5.84 | POLY BAGS | – | NO | |
| 68497-XYY | 0.612 | 15.54 | 0.085 | 2.16 | 0.427 | 10.85 | POLY BAGS | – | NO | |
| 68603-XYY | 0.555 | 14.10 | 0.120 | 3.05 | 0.335 | 8.51 | POLY BAGS | – | NO | |
| 68604-XYY | 0.600 | 15.24 | 0.120 | 3.05 | 0.380 | 9.65 | POLY BAGS | – | NO | NOTE 1,12 |

Copyright FCI.

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| www.fciconnect.com | | | surface ISO 1302 | | tolerance std ISO 406 ISO 1101 | projection | INCH/MM |
| | | | TOLERANCES UNLESS OTHERWISE SPECIFIED | | | | |
| Dr | T.BREWBAKER | 01/05/95 | ANGULAR | LINEAR | 0.X ±0.3 | size A4 | Scale 1.000 |
| Eng | T.HANNA | 01/05/95 | | | 0.XX ±0.15 | | |
| Chr | J.MURPHY | 01/05/95 | 0° ±2° | | 0.XXX ±0.05 | ECN | ELX-N-011895 |
| Appr | T.HANNA | 01/05/95 | Product family | BERGSTIK | | Spec ref | |
| title | BERGSTIK® II HEADER .100/2.54cc SR STRAIGHT | | | | dwg no 68000 | | Rev. CY |
| catalog no | | | | | CUSTOMER | | sheet 4 of 8 |

| PRODUCT NUMBER | TOTAL PIN LGTH | | TAIL LENGTH | | MATING LENGTH | | | | BERGSTRIP™ AVAILABLE | LF OPTION |
|---|---|---|---|---|---|---|---|---|---|---|
| | DIM F | DIM F | DIM G | DIM G | DIM H | DIM H | | | | |
| | ENGLISH | METRIC | ENGLISH | METRIC | ENGLISH | METRIC | PACKAGING | NOTES | | |
| 68629-XYY | 0.621 | 15.77 | 0.203 | 5.16 | 0.318 | 8.08 | POLY BAGS | – | NO | NOTE 1,12 |
| 68630-XYY | 0.603 | 15.32 | 0.273 | 6.93 | 0.230 | 5.84 | POLY BAGS | – | NO | |
| 68631-XYY | 0.703 | 17.86 | 0.203 | 5.16 | 0.400 | 10.16 | POLY BAGS | – | NO | |
| 68632-XYY | 0.743 | 18.87 | 0.413 | 10.49 | 0.230 | 5.84 | POLY BAGS | – | NO | |
| 68633-XYY | 0.643 | 16.33 | 0.225 | 5.72 | 0.318 | 8.08 | POLY BAGS | – | NO | |
| 68634-XYY | 1.013 | 25.73 | 0.683 | 17.35 | 0.230 | 5.84 | POLY BAGS | – | NO | |
| 68642-XYY | 0.913 | 23.19 | 0.583 | 14.81 | 0.230 | 5.84 | POLY BAGS | – | NO | |
| 68652-XYY | 1.470 | 37.34 | 0.670 | 17.02 | 0.700 | 17.78 | POLY BAGS | – | NO | |
| 68653-XYY | 0.735 | 18.67 | 0.095 | 2.41 | 0.540 | 13.72 | POLY BAGS | – | NO | |
| 68654-XYY | 1.050 | 26.67 | 0.670 | 17.02 | 0.280 | 7.11 | POLY BAGS | – | NO | |
| 68655-XYY | 0.708 | 17.98 | 0.290 | 7.37 | 0.318 | 8.08 | POLY BAGS | – | NO | |
| 68656-XYY | 1.113 | 28.27 | 0.613 | 15.57 | 0.400 | 10.16 | POLY BAGS | – | NO | |
| 68657-XYY | 0.588 | 14.94 | 0.368 | 9.35 | 0.120 | 3.05 | POLY BAGS | – | NO | |
| 68658-XYY | 0.820 | 20.83 | 0.130 | 3.30 | 0.590 | 14.99 | POLY BAGS | – | NO | |
| 68659-XYY | 0.608 | 15.44 | 0.398 | 10.11 | 0.110 | 2.79 | POLY BAGS | – | NO | |
| 68686-XYY | 1.016 | 25.81 | 0.458 | 11.63 | 0.458 | 11.63 | POLY BAGS | – | NO | |
| 68689-XYY | 0.913 | 23.19 | 0.213 | 5.41 | 0.600 | 15.24 | POLY BAGS | – | NO | |
| 68705-XYY | 0.395 | 10.03 | 0.095 | 2.41 | 0.200 | 5.08 | POLY BAGS | – | NO | |
| 68717-XYY | 0.615 | 15.62 | 0.285 | 7.24 | 0.230 | 5.84 | POLY BAGS | – | NO | |
| 68730-XYY | 0.555 | 14.10 | 0.225 | 5.72 | 0.230 | 5.84 | POLY BAGS | – | NO | |
| 68731-XYY | 0.880 | 22.35 | 0.440 | 11.18 | 0.340 | 8.64 | POLY BAGS | – | NO | |
| 68735-XYY | 1.016 | 25.81 | 0.520 | 13.21 | 0.396 | 10.06 | POLY BAGS | – | NO | |
| 68755-XYY | 1.166 | 29.62 | 0.533 | 13.54 | 0.533 | 13.54 | POLY BAGS | – | NO | |
| 68760-XYY | 0.803 | 20.40 | 0.353 | 8.97 | 0.350 | 8.89 | POLY BAGS | – | NO | |
| 68762-XYY | 0.588 | 14.94 | 0.213 | 5.41 | 0.275 | 6.99 | POLY BAGS | – | NO | |
| 68771-XYY | 0.470 | 11.94 | 0.100 | 2.54 | 0.270 | 6.86 | POLY BAGS | – | NO | |
| 68781-XYY | 0.691 | 17.55 | 0.273 | 6.93 | 0.318 | 8.08 | POLY BAGS | – | NO | NOTE 1,12 |

Copyright FCI.

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| www.fciconnect.com | | | surface ISO 1302 | | tolerance std ISO 406 ISO 1101 | projection | INCH/MM |
| | | | TOLERANCES UNLESS OTHERWISE SPECIFIED | | | | |
| Dr | T.BREWBAKER | 01/05/95 | ANGULAR | LINEAR | 0.X ±0.3 | size A4 | Scale 1.000 |
| Eng | T.HANNA | 01/05/95 | | | 0.XX ±0.15 | | |
| Chr | J.MURPHY | 01/05/95 | 0° ±2° | | 0.XXX ±0.05 | ECN | ELX-N-011895 |
| Appr | T.HANNA | 01/05/95 | Product family | BERGSTIK | | Spec ref | |
| title | BERGSTIK® II HEADER .100/2.54cc SR STRAIGHT | | | | dwg no 68000 | | Rev. CY |
| catalog no | | | | | CUSTOMER | | sheet 5 of 8 |

| PRODUCT NUMBER | TOTAL PIN LGTH | | TAIL LENGTH | | MATING LENGTH | | | | BERGSTRIP™ AVAILABLE | LF OPTION |
|---|---|---|---|---|---|---|---|---|---|---|
| | DIM F | DIM F | DIM G | DIM G | DIM H | DIM H | | | | |
| | ENGLISH | METRIC | ENGLISH | METRIC | ENGLISH | METRIC | PACKAGING | NOTES | | |
| 68795-XYY | 0.500 | 12.70 | 0.062 | 1.57 | 0.338 | 8.59 | POLY BAGS | – | NO | NOTE 1,12 |
| 68796-XYY | 0.633 | 16.08 | 0.423 | 10.74 | 0.110 | 2.79 | POLY BAGS | – | NO | |
| 68797-XYY | 0.413 | 10.49 | 0.213 | 5.41 | 0.100 | 2.54 | POLY BAGS | – | NO | |
| 69148-XYY | 0.442 | 11.43 | 0.000 | 0.00 | 0.350 | 8.89 | POLY BAGS | – | NO | |
| 69152-XYY | 0.720 | 18.29 | 0.120 | 3.05 | 0.500 | 12.70 | POLY BAGS/TUBES | – | NO | |
| 69173-XYY | 0.530 | 13.46 | 0.135 | 3.43 | 0.295 | 7.49 | POLY BAGS | – | NO | |
| 69188-XYY | 0.751 | 19.08 | 0.333 | 8.46 | 0.318 | 8.08 | POLY BAGS | – | NO | |
| 69751-XYY | 0.440 | 11.18 | 0.170 | 4.32 | 0.170 | 4.32 | POLY BAGS | NOTE 10 | NO | |
| 71417-XYY | 0.664 | 16.87 | 0.115 | 2.92 | 0.449 | 11.40 | POLY BAGS | NOTE 10 | NO | |
| 72260-XYYH | 0.930 | 23.62 | 0.090 | 2.29 | 0.740 | 18.80 | POLY BAGS | – | NO | |
| 72323-XYYH | 1.200 | 30.48 | 0.100 | 2.54 | 1.000 | 25.40 | POLY BAGS | – | NO | |
| 72457-XYYH | 1.100 | 27.94 | 0.090 | 2.29 | 0.910 | 23.11 | POLY BAGS | – | NO | |
| 73698-XYYH | 1.100 | 27.94 | 0.120 | 3.05 | 0.880 | 22.35 | POLY BAGS | – | NO | |
| 74464-XYYH | 1.028 | 26.11 | 0.610 | 15.49 | 0.318 | 8.08 | POLY BAGS | – | NO | |
| 78240-XYY | 0.663 | 16.84 | 0.333 | 8.46 | 0.230 | 5.84 | POLY BAGS | – | NO | |
| 78287-XYY | 0.678 | 17.22 | 0.120 | 3.05 | 0.458 | 11.63 | POLY BAGS | – | NO | |
| 78290-XYY | 1.250 | 31.75 | 0.500 | 12.70 | 0.650 | 16.51 | POLY BAGS | – | NO | |
| 78511-XYY | 0.538 | 13.67 | 0.120 | 3.05 | 0.318 | 8.08 | POLY BAGS/TUBES | – | YES | |
| 78595-XYY | | NOT AVAILABLE | | | | | | – | – | |
| 78931-XYY | | NOT AVAILABLE | | | | | | – | – | |
| 78958-XYY | | NOT AVAILABLE | | | | | | – | – | |
| 78959-XYY | | NOT AVAILABLE | | | | | | – | – | |
| 78977-XYY | | NOT AVAILABLE | | | | | | – | – | |
| 78998-XYY | 0.430 | 10.92 | 0.155 | 3.94 | 0.175 | 4.45 | POLY BAGS | – | NO | |
| 78999-XYY | | NOT AVAILABLE | | | | | | – | – | |
| 79428-XYY | 0.695 | 17.65 | 0.120 | 3.05 | 0.475 | 12.07 | POLY BAGS | – | NO | |
| 79849-XYY | 0.620 | 15.75 | 0.120 | 3.05 | 0.400 | 10.16 | POLY BAGS | – | NO | NOTE 1,12 |

Copyright FCI.

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| www.fciconnect.com | | | surface ISO 1302 | | tolerance std ISO 406 ISO 1101 | | projection | INCH/MM |
| | | | TOLERANCES UNLESS OTHERWISE SPECIFIED | | | | | |
| Dr | T.BREWBAKER | 01/05/95 | ANGULAR | LINEAR | 0.X | ±0.3 | size A4 | Scale 1.000 |
| Eng | T.HANNA | 01/05/95 | | | 0.XX | ±0.15 | | |
| Chr | J.MURPHY | 01/05/95 | 0° ±2° | | 0.XXX | ±0.05 | ECN | ELX-N-011895 |
| Appr | T.HANNA | 01/05/95 | Product family BERGSTIK | | | | Spec ref | |
| title | BERGSTIK® II HEADER .100/2.54cc SR STRAIGHT | | | | dwg no 68000 | | Rev. CY | |
| catalog no | | | | | CUSTOMER | | sheet 6 of 8 | |

REV F - 2006-04-17

| PRODUCT NUMBER | TOTAL PIN LGTH | | TAIL LENGTH | | MATING LENGTH | | | | BERGSTRIP™ | LF OPTION |
|---|---|---|---|---|---|---|---|---|---|---|
| | DIM F | DIM F | DIM G | DIM G | DIM H | DIM H | | | AVAILABLE | |
| | ENGLISH | METRIC | ENGLISH | METRIC | ENGLISH | METRIC | PACKAGING | NOTES | | |
| 84918-XYYH | 0.340 | 8.64 | 0.120 | 3.05 | 0.120 | 3.05 | POLY BAGS | - | YES | NOTE 1,12 |
| 84921-XYYH | 0.370 | 9.40 | 0.150 | 3.81 | 0.120 | 3.05 | POLY BAGS | - | YES | |
| 86506-XYY | 0.440 | 11.18 | 0.120 | 3.05 | 0.220 | 5.59 | POLY BAGS | - | YES | |
| 86579-XYY | 0.450 | 11.43 | 0.120 | 3.05 | 0.230 | 5.84 | POLY BAGS | NOTE 9 | NO | |
| 86634-XYY | | NOT AVAILABLE | | | | | | - | - | |
| 86635-XYY | | NOT AVAILABLE | | | | | | - | - | |
| 86636-XYY | | NOT AVAILABLE | | | | | | - | - | |
| 86637-XYY | | NOT AVAILABLE | | | | | | - | - | |
| 86638-XYY | | NOT AVAILABLE | | | | | | - | - | |
| 86793-XYY | 0.900 | 22.86 | 0.100 | 2.54 | 0.700 | 17.78 | POLY BAGS | NOTE 10 | NO | |
| 86899-XYY | 1.020 | 25.91 | 0.120 | 3.05 | 0.800 | 20.32 | POLY BAGS | - | NO | |
| 87185-XYY | 1.238 | 31.45 | 0.095 | 2.41 | 1.043 | 26.49 | POLY BAGS | NOTE 10 | NO | |
| 87204-XYY | 0.895 | 22.73 | 0.120 | 3.05 | 0.675 | 17.15 | POLY BAGS | - | NO | |
| 87241-XYY | 1.000 | 25.40 | 0.120 | 3.05 | 0.780 | 19.81 | POLY BAGS | - | NO | |
| 87502-XYYH | 1.130 | 28.70 | 0.110 | 2.79 | 0.920 | 23.37 | POLY BAGS | - | NO | |
| 87827-XYY | 0.380 | 9.65 | 0.120 | 3.05 | 0.160 | 4.06 | POLY BAGS | - | NO | |
| 87916-XYY | 1.058 | 26.87 | 0.128 | 3.25 | 0.830 | 21.08 | POLY BAGS | - | NO | |
| 88005-XYY | 0.536 | 13.61 | 0.095 | 2.41 | 0.341 | 8.66 | POLY BAGS | NOTE 10 | NO | |
| 88706-XYY | 0.900 | 22.86 | 0.100 | 2.54 | 0.700 | 17.78 | POLY BAGS | - | NO | |
| 89232-XYY | 0.325 | 8.26 | 0.000 | 0.00 | 0.230 | 5.84 | POLY BAGS | NOTE 7 | NO | NOTE 1,12 |

Copyright FCI.

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| www.fciconnect.com | | | surface ISO 1302 | | tolerance std ISO 406 ISO 1101 | | projection | INCH/MM |
| | | | TOLERANCES UNLESS OTHERWISE SPECIFIED | | | | | |
| Dr | T.BREWBAKER | 01/05/95 | ANGULAR | LINEAR | 0.X | ±0.3 | size A4 | Scale 1.000 |
| Eng | T.HANNA | 01/05/95 | | | 0.XX | ±0.15 | | |
| Chr | J.MURPHY | 01/05/95 | 0° ±2° | | 0.XXX | ±0.05 | ECN | ELX-N-011895 |
| Appr | T.HANNA | 01/05/95 | Product family BERGSTIK | | | | Spec ref | |
| title | BERGSTIK® II HEADER .100/2.54cc SR STRAIGHT | | | | dwg no | 68000 | Rev. | CY |
| catalog no | | | | | CUSTOMER | | sheet 7 of 8 | |

| PRODUCT NUMBER | TOTAL PIN LGTH | | TAIL LENGTH | | MATING LENGTH | | | | BERGSTRIP™ AVAILABLE | LF OPTION |
|---|---|---|---|---|---|---|---|---|---|---|
| | DIM F | DIM F | DIM G | DIM G | DIM H | DIM H | | | | |
| | ENGLISH | METRIC | ENGLISH | METRIC | ENGLISH | METRIC | PACKAGING | NOTES | | |
| 90522-XYY | 0.668 | 16.97 | 0.135 | 3.43 | 0.433 | 11.00 | POLY BAGS | NOTE 10 | NO | NOTE 1,12 |
| 90547-XYY | 0.508 | 12.90 | 0.095 | 2.41 | 0.313 | 7.95 | POLY BAGS | NOTE 10 | NO | |
| 90719-XYY | 0.384 | 9.75 | 0.106 | 2.69 | 0.178 | 4.52 | POLY BAGS | – | NO | |
| 90726-XYY | 0.440 | 11.18 | 0.110 | 2.79 | 0.230 | 5.84 | POLY BAGS | – | YES | |
| 91276-XYY | 1.225 | 31.12 | 0.225 | 5.72 | 0.900 | 22.86 | POLY BAGS | – | NO | |
| 92020-XYY | 0.372 | 9.45 | 0.094 | 2.39 | 0.178 | 4.52 | POLY BAGS | – | NO | |
| 92418-XYY | 0.572 | 14.53 | 0.118 | 3.00 | 0.354 | 8.99 | POLY BAGS | – | NO | |
| 93167-XYY | 0.394 | 10.01 | 0.059 | 1.50 | 0.235 | 5.97 | POLY BAGS | – | NO | |
| 93287-XYYH | 0.585 | 14.86 | 0.085 | 2.16 | 0.400 | 10.16 | POLY BAGS | – | NO | |
| 93944-XYY | 0.941 | 23.90 | 0.130 | 3.30 | 0.711 | 18.06 | POLY BAGS | – | NO | |
| 93992-XYYH | 0.415 | 10.54 | 0.085 | 2.16 | 0.230 | 5.84 | POLY BAGS | – | NO | |
| 94063-XYY | 0.376 | 9.55 | 0.138 | 3.51 | 0.138 | 3.51 | POLY BAGS | NOTE 10 | NO | |
| 94094-XYY | 0.592 | 15.04 | 0.314 | 7.98 | 0.178 | 4.52 | POLY BAGS | – | NO | |
| 94544-XYY | 0.550 | 13.97 | 0.130 | 3.30 | 0.330 | 8.38 | POLY BAGS | NOTE 10 | NO | |
| 94611-XYYH | 0.320 | 8.13 | 0.095 | 2.41 | 0.125 | 3.18 | POLY BAGS | – | NO | |
| 95017-XYYH | 0.560 | 14.22 | 0.060 | 1.52 | 0.400 | 10.16 | POLY BAGS | – | NO | |
| 95103-XYY | 1.064 | 27.03 | 0.433 | 11.00 | 0.531 | 13.49 | POLY BAGS | NOTE 10 | NO | |
| 95104-XYY | 0.370 | 9.40 | 0.126 | 3.20 | 0.144 | 3.66 | POLY BAGS | NOTE 10 | NO | |
| 95648-XYYH | 0.655 | 16.64 | 0.155 | 3.94 | 0.400 | 10.16 | POLY BAGS | – | NO | |
| 95655-XYY | 1.164 | 29.57 | 0.095 | 2.41 | 0.969 | 24.61 | POLY BAGS | NOTE 10 | NO | |
| 98001-XYYH | 0.610 | 15.49 | 0.420 | 10.67 | 0.090 | 2.29 | POLY BAGS | – | NO | |
| 98136-XYYH | 0.475 | 12.07 | 0.095 | 2.41 | 0.280 | 7.11 | POLY BAGS | – | NO | |
| 10004394-XYYH | 0.290 | 7.37 | 0.095 | 2.41 | 0.095 | 2.41 | POLY BAGS | – | NO | |
| 10076764-XXYH | 0.479 | 12.19 | 0.114 | 2.9 | 0.265 | 6.75 | POLY BAGS | – | YES | |
| 10103017-XYY | 0.335 | 8.51 | 0.130 | 3.30 | 0.105 | 2.67 | POLY BAGS | – | NO | |
| 10121349-XYY | 0.626 | 15.9 | 0.120 | 3.05 | 0.406 | 10.3 | POLY BAGS/TAPE REEL | – | NO | NOTE 1,12 |

Copyright FCI.

REV F - 2006-04-17

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| www.fciconnect.com | | | surface ISO 1302 | | tolerance std ISO 406 ISO 1101 | projection | INCH/MM |
| | | | TOLERANCES UNLESS OTHERWISE SPECIFIED | | | | |
| Dr | T.BREWBAKER | 01/05/95 | ANGULAR | LINEAR | 0.X ±0.3 | size A4 | Scale 1.000 |
| Eng | T.HANNA | 01/05/95 | | | 0.XX ±0.15 | | |
| Chr | J.MURPHY | 01/05/95 | 0° ±2° | | 0.XXX ±0.05 | ECN | ELX-N-011895 |
| Appr | T.HANNA | 01/05/95 | Product family | BERGSTIK | | Spec ref | |
| title | BERGSTIK® II HEADER .100/2.54cc SR STRAIGHT | | | | dwg no | 68000 | Rev. CY |
| catalog no | | | | | CUSTOMER | | sheet 8 of 8 |

LifeElectronics
Живое партнерство

**ООО «ЛайфЭлектроникс»** **“LifeElectronics” LLC**

*ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 30101810900000000703 БИК 044030703*

*Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.*

*С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров*

*Мы предлагаем:*

- *Конкурентоспособные цены и скидки постоянным клиентам.*
- *Специальные условия для постоянных клиентов.*
- *Подбор аналогов.*
- *Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.*

- *Приемлемые сроки поставки, возможна ускоренная поставка.*
- *Доставку товара в любую точку России и стран СНГ.*
- *Комплексную поставку.*
- *Работу по проектам и поставку образцов.*
- *Формирование склада под заказчика.*

- *Сертификаты соответствия на поставляемую продукцию (по желанию клиента).*
- *Тестирование поставляемой продукции.*
- *Поставку компонентов, требующих военную и космическую приемку.*
- *Входной контроль качества.*
- *Наличие сертификата ISO.*

*В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.*

*Конструкторский отдел помогает осуществить:*

- *Регистрацию проекта у производителя компонентов.*
- *Техническую поддержку проекта.*
- *Защиту от снятия компонента с производства.*
- *Оценку стоимости проекта по компонентам.*
- *Изготовление тестовой платы монтаж и пусконаладочные работы.*

*Тел: +7 (812) 336 43 04 (многоканальный)*
*Email: org@lifeelectronics.ru*

***www.lifeelectronics.ru***