SYMBOL DEFINITION			MISSING SYMBOLS
A DIMENSION WITHOUT AN INSPECTION REPORT SYMBOL ⬭ DOES NOT REQUIRE INSPECTION. IT MAY BE CONTROLLED ON THE INDIVIDUAL COMPONENT DRAWING.	TOTAL NO OF INSPECTIONS REQUIRED	4	1 3-5
	LAST NO. USED	8	

DWG STATUS					ZONE	REVISION HISTORY	AUTH	DR	APVD 1	APVD 2
DATE	STG	REV	N/P	CHG						
23DE98	R	001	-	-		12191235 & 15305351 WERE ON SHEET 1	191334	TLP	TLP	SCH
23DE98	R	002	-	-		15366021, 6022, 6060, 6061 & 6063-				
						6067 - RELEASED	980005	TLP	TLP	SCH
15JN99	R	003	-	-		15366021-22, 15366060-61 & 15366063-67 - UPDATED PDM ATTRIBUTES; REDRAWN TO PD	195080	GGI	GGI	SCH
10SE99	R	004	-	-		15336674 - WAS SEPARATE DWG	196664	AAS	RMM	GO
20NO00	R	005	-	-		12191235, 15305351, 15366021-2, 15366060 15366064, 15366066-7, 15336674: REVISED MATERIAL SPEC	204620	JMR	JMR	SCH
07DE00	R	006	-	-		12191235 -REVISED CHART REVISION LEVELS REV "003", C/N 195080, WAS "003 AA" REV "003", C/N 196664, WAS "002 AF" REV "003 AA", C/N 204620, WAS "002 AG"	205040	JHH	JHH	SCH
07MR01	R	007	-	-		ALL PARTS: REMOVED TYPE COL FROM CHART	206674	JMR	JMR	EH
20SE01	R	008	-	-		ALL PARTS - REVISED WITNESS LINES FOR DIAMETER B	214322	CJP	CJP	SCH
09NO01	-	009	-	-		15366021 & 15366060 - PDM ATTRIBUTES UPDATED	215042	HAM	HAM	DB
12NO01	R	010	-	-		15366065, & 67 - UPDATED PDM ATTRIBUTES	217185	MRL	MRL	HLJ
28NO01	R	011	-	-		15366022 & 15305351 - UPDATED PDM ATTRIBUTES	217813	JMR	JMR	EH
04JL03	R	12	-	-		15473821 - RELEASED	243017	ECB	AUG	AD
23FE05	R	13	-	-		ALL PARTS - ADDED ALTERNATE MATL SPEC, DIM 'C' TO PD AND REF COLOR TO CHART; REVISED PRIMARY MATL SPEC AND NOTES	265281	RH	RH	MR
28MR05	R	14	-	-		ALL PARTS - DIM F WAS A, DIM ⌀G WAS DIM ⌀B AND REVISED HEADER CALLOUT ON CHART	266251	CCV	JAA	MR
24AU05	R	15	-	-		ALL PARTS - REVISED CHART; 15366060 - REVISED INTERNAL NECK GROOVE	270772	PCP	PCP	MR
26AP06	R	16	-	-		ALL PARTS - REVISED CHARTS AND REMOVED OPTIONAL CONSTRUCTION VIEWS	279621	MM	MM	MR
30MY06	R	17	-	-		15366065 & 15366067 - UPDATED PDM ATTRIBUTES	280987	JBD	AUG	MPR
28NO06	R	18	-	-		ADDED TYPE 203 AND 15336674 WAS TYPE 202	286943	MM	MM	MR



TYPE 203
SAME AS TYPE 201 EXCEPT AS
SHOWN AND AS NOTED IN CHART



SECTION Y-Y



TYPE 201





SECTION B-B





TYPE 202
SAME AS TYPE 201 EXCEPT AS
SHOWN AND AS NOTED IN CHART



SECTION A-A

NOTES

1. UNLESS OTHERWISE SPECIFIED AND/OR INDICATED:

   DIMENSIONS ARE TO FACE OF VIEW SHOWN AND AUTOMATICALLY ROUNDED BY COMPUTER FOR INSPECTION (SEE MATH MODEL FOR PRECISE DIMENSIONS). FOR ALL OTHER DIMENSIONS NOT SHOWN BUT REQUIRED FOR TOOL BUILD, SEE MATH MODEL FOR PRECISE TOOL PATH DATA.

2. PARTS SHOULD BE MADE FROM VIRGIN MATERIAL ONLY.

3. ALL OF THESE SEALS (1219XXXX) ARE BUILT WITH HIGHER OIL CONTENT WHICH IS NEEDED FOR THE MYLAR/CABLE SEAL ASSEMBLY PROCESS.

PART NO	REV	N/P	STATUS	MATERIAL SPEC	ALTERNATE MATERIAL SPEC	COLOR (REF ONLY)	TYPE	CABLE O.D.	E	⌀ G	⌀ C	CAV I.D.	VOL (CM³)	EQUIVALENT CBL SEAL SEE NOTE 3	EQUIVALENT MYLAR/CABLE SEAL ASM SEE NOTE 3
15473821	01	AD		M3469007	N/A	GRN	202	2-2.2	3.25	3.9 +0.1/-0.05	2.4 ±0.1	3.2X4 OVAL	0.029	N/A	N/A
15336674	02	AK		M3469008	M4361008	BLU	203	2.7-3.2	3.5	5.75	3.6	5.2	0.056	N/A	N/A
15366067	01	AL		M3469038	M4361029	TAN	201	2.5-3.2	3.5	6.35 +0.15/-0	4.25 ±0.1	5.8	0.085	12191234	12191223
15366066	01	AJ		M3469006	M4361006	YEL	201	1.86-2.4	3.5	6.35 ±0.1	4.25 ±0.1	5.8	0.096	12191233	12191222
15366065	01	AK		M3469005	M4361005	ORN	201	1.2-1.9	3.5	6.35 ±0.1	4.25 ±0.1	5.8	0.102	12191232	12191221
15366064	01	AJ		M3469039	M4361009	PPL	201	1.86-2.4	3.5	5.75 ±0.1	3.45 ±0.1	5.2	0.067	12191231	12191157
15366063	01	AH		M3469003	M4361012	GRA LT	201	1.2-1.9	3.5	5.75 ±0.1	3.45 ±0.1	5.2	0.073	12191230	12191156
15366061	01	AH		M3469037	M4361019	RED DK	201	2.09-2.66	3.5	5.75 ±0.1	3.45 ±0.1	5.2	0.063	12191228	12191154
15366060	02	AA		M3469008	M4361008	BLU	202	1.86-2.4	3.5	4.5 ±0.1	2.8 ±0.1	4	0.037	12191227	12191153
15366022	01	AK		M3469007	M4361007	GRN	201	1.4-1.9	3.2	4 +0.1/-0.05	2.4 ±0.1	3.2X4 OVAL	0.034	12191229	12191155
15366021	01	AK		M3469011	M4361011	WHT	201	1.2-1.9	3.5	4.5 ±0.1	2.8 ±0.1	4	0.041	12191226	12191152
15305351	02	AJ		M3469006	M4361006	YEL	201	1.7-2.1	3.25	3.9 ±0.1	2.4 ±0.1	3.2X4 OVAL	0.033	N/A	N/A
12191235	03	AJ		M3469039	M4361009	PPL	201	3.4-3.9	3.5	6.35 ±0.1	4.25 +0.2/-0	5.8	0.063	N/A	N/A

DRAWING NUMBER						
12191225						
SIZE	SCALE	FRAME NO	SHEET NO	STG	REV	N/P
A1x3	20:1	2 OF 2	2 OF	R	18	-

DIMENSIONAL RANGE (MM)									CHART E1
FROM TO	> 0 20	> 20 30	> 30 70	> 70 100	>100 150	>150 200	>200 250	>250 300	>300 400
TOLERANCE UNLESS OTHERWISE SPECIFIED									
	±0.15	±0.2	±0.3	±0.4	±0.5	±0.6	±0.8	±1	±1.2
ANGULAR TOLERANCE ±2°									

⬭6⬭ PROCESS SENSITIVE DIMENSION

DIMENSIONS ENCLOSED IN ( ) INDICATE REFERENCE DIMENSIONS AND NO TOLERANCE LIMITS ARE ESTABLISHED

DWG TYPE
PART DRAWING

STYLE

VOLUME (CM³)
SEE CHART

DISTR CODE
D

UNLESS OTHERWISE SPECIFIED

THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS AMENDED BY THE GM GLOBAL DIMENSIONING AND TOLERANCING ADDENDUM - 1997. ALL GEOMETRIC TOLERANCES AND RELATED DATUMS APPLY RFS. RULE #1(PERFECT FORM AT MMC) DOES NOT APPLY WHEN RELATIONSHIP BETWEEN FEATURES IS ESTABLISHED BY ORIENTATION OR LOCATION TOLERANCES. SEPARATE POSITION CALLOUTS MAY BE GAGED SEPARATELY, REGARDLESS OF DATUM REFERENCE.

ALL DIMENSIONS ARE IN MILLIMETERS

REFERENCE

THIRD ANGLE PROJECTION

DO NOT SCALE

USE MATH DATA

CAD UNIGRAPHICS

DELPHI

DELPHI PACKARD ELECTRIC SYSTEMS
WARREN, OH

		DATE
DR		
APVD1	T. PACK	23DE98
APVD2	T. PACK	23DE98
APVD3	S. C. HSIEH	21JA99
APVD4		
APVD5		

SUBSTANCES OF CONCERN AND RECYCLED CONTENT PER DELPHI 10949001

MATERIAL
SEE CHART

DRAWING NAME
TAXI SEAL CBL 1W GT

DRAWING NUMBER						
12191225						
SIZE	SCALE	FRAME NO	SHEET NO	STG	REV	N/P
A1x3	20:1	1 OF 2	2 OF	R	18	-

15161552

User: JZ42XF
Part: 12191225-CUS01-S02 Date: 29-Nov-06 Time: 10:48
Message:

О компании

ООО "ТрейдЭлектроникс" - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Наличие собственной эффективной системы логистики обеспечивает надежную поставку продукции по конкурентным ценам в точно указанные сроки.

Срок поставки со стоков в **Европе и Америке – от 3 до 14 дней.**

Срок поставки из **Азии – от 10 дней.**

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Предоставляем спец цены на элементы для создания инженерных сэмплов.

Упорный труд, качественный результат дают нам право быть уверенными в себе и надежными для наших клиентов.

Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование

Наша организация особенно сильна в поставках модулей, микросхем, пассивных компонентов, ксайленсах (XC), EPF, EPM и силовой электроники.

Большой выбор предлагаемой продукции, различные виды оплаты и доставки, позволят Вам сэкономить время и получить максимум выгоды от сотрудничества с нами!

Перечень производителей, продукцию которых мы поставляем на российский рынок

- AMD · ANALOG DEVICES · BOURNS INC. · Coilcraft
- élantec Semiconductor, Inc. · HARRIS · infineon · JRC
- MICREL Innovation Through Technology · MOTOROLA · nichicon · PHILIPS
- Excellence in Electronics ROHM · SGS-THOMSON MICROELECTRONICS · Sipex · TAIYO YUDEN
- TOKO · ZILOG · Winbond Electronics Corp. · Allegro MicroSystems, Inc.
- ATMEL · BURR-BROWN BB · EXAR · HITACHI Inspire the Next
- intel · Lattice Semiconductor Corporation · muRata Innovator in Electronics · OKI
- QUALCOMM · SAMSUNG · SHARP · SONY
- TDK · TOSHIBA · XICOR · ALTERA
- AVX Online · CATALYST · CYPRESS PERFORM · FAIRCHILD SEMICONDUCTOR
- HOLTEK · International IOR Rectifier · LINEAR TECHNOLOGY · MITSUBISHI · National Semiconductor
- ON Semiconductor ON · REALTEK Realtek Semiconductor Corp. · SANYO · SHINDENGEN
- SST · TECCOR ELECTRONICS · TUNDRA · XILINX
- Amphenol · Bay Linear · CIRRUS LOGIC · DALLAS
- FUJITSU · IDT · intersil · MAXIM
- molex · NEC · Panasonic · RENESAS
- SII Seiko Instruments Inc. · SIEMENS · ST · TEXAS INSTRUMENTS
- VISHAY · ZETEX SEMICONDUCTORS

С удовольствием будем прорабатывать для Вас поставки всех необходимых компонентов по текущим запросам для скорейшего выявления групп элементов, по которым сотрудничество именно с нашей компанией будет для Вас максимально выгодным!

С уважением,

Менеджер отдела продаж ООО

«Трейд Электроникс»

Шишлаков Евгений

8 (495)668-30-28 доб 169

manager28@tradeelectronics.ru

http://www.tradeelectronics.ru/