














RECEPTACLE







PLUG



UPDATE TITLE BLOCK
EC NO: UCP2007-2415 2007/04/17
DRWN:AELHAG 2007/05/03
CHKD:LSCHMIDT 2007/05/03
APPR:FSMITH
DESCRIPTION
REV
AE

QUALITY SYMBOLS
▼=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

| | mm | INCH |
|---|---|---|
| 4 PLACES | ± --- | ± --- |
| 3 PLACES | ± --- | ± .010 |
| 2 PLACES | ± 0.25 | ± .014 |
| 1 PLACE | ± 0.35 | ± --- |
| ANGULAR ±1/2° | | |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: 2:1
DESIGN UNITS: INCH
THIRD ANGLE PROJECTION

| | | |
|---|---|---|
| DRAWN BY | KBW | DATE 01/14/1989 |
| CHECKED BY | RW | DATE 01/14/1989 |
| APPROVED BY | RAS | DATE 01/14/1989 |

TITLE: .093/(2.36) HOUSINGS
PLUG & RECEPTACLE
15 CIRCUIT,.198/(5.03)CL

molex MOLEX INCORPORATED

MATERIAL NO.: SEE CHART
DOCUMENT NO.: SD-1375-*
SHEET NO.: 1 OF 2

SIZE C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

| PLUG | | | | RECEPTACLE | | | |
|---|---|---|---|---|---|---|---|
| ORDER NO | ENG NO | PACKAGING | | ORDER NO | ENG NO | PACKAGING | |
| 03-09-2151 | 1375-P | PK-1375-001 | | 03-09-1151 | 1375-R | PK-1375-001 | |
| 03-09-2159 | 1375-P4 | PK-1375-002 | | 03-09-1152 | 1375-R1 | PK-1375-001 | |
| 03-09-2158 | 1375-P7 | PK-1375-001 | | 03-09-1154 | 1375-R6 | PK-1375-001 | |
| 03-09-7158 | 1375-P7BK | PK-1375-001 | OBSOL. | 03-09-1157 | 1375-R6-1 | PK-1375-001 | |
| | | | | 03-09-6154 | 1375-R6BK | PK-1375-001 | |

## LEGEND FOR PLUG:

1375-P***

OPTIONS:
BLANK = W/O EARS, W/ PULL TABS, W/O LOCK WINDOWS
2 = W/ STANDARD EARS, W/O PULL TABS, W/O LOCK WINDOWS
4 = W/ PREBENT EARS, W/O PULL TABS, W/ LOCK WINDOWS
6 = W/O EARS, W/O PULL TABS, W/ LOCK WINDOWS
7 = W/O EARS, W/ PULL TABS, W/ LOCK WINDOWS
8 = W/ PREBENT EARS, W/O PULL TABS, W/O LOCK WINDOWS


COLOR:
BLANK = NATURAL COLOR
AM = AMBER BK = BLACK BU = BLUE
BN = BROWN GY = GRAY GN = GREEN
OR = ORANGE RD = RED YW = YELLOW


## LEGEND FOR RECEPTACLE:

1375-R***

OPTIONS:
BLANK = W/ PREBENT EARS, W/O LOCK RAMPS
1 = W/O EARS, W/O LOCK RAMPS
6 = W/ STANDARD EARS & LOCK RAMPS
6-1 = W/O EARS, W/ LOCK RAMPS


COLOR:
BLANK = NATURAL COLOR
AM = AMBER BK = BLACK BU = BLUE
BN = BROWN GY = GRAY GN = GREEN
OR = ORANGE RD = RED YW = YELLOW





DETAIL A


.093/(2.36) STANDARD MOUNTING EAR
(SCALE 4:1)




RECOMMENDED PANEL OPENING

| HOUSING | DIM. "A" | DIM. "B" | "C" PREBENT EAR | "C" STANDARD EAR | "C" SPECIAL EAR |
|---|---|---|---|---|---|
| PLUG | 1.343/(34.11) | .760/(19.30) | .40/(10.2) | .36/(9.1) | ——— |
| RECEPT. W/ RAMPS | 1.240/(31.50) | .725/(18.42) | .41/(10.4) | .37/(9.4) | .31/(7.8) |
| RECEPT. W/O RAMPS | 1.240/(31.50) | .655/(16.64) | .41/(10.4) | .37/(9.4) | .31/(7.8) |




DETAIL B

.093/(2.36)PREBENT MOUNTING EAR
(SCALE 4:1)

NOTES :

1. MATERIAL : NYLON TYPE 6/6, 94V-2.
2. FINISH : NONE.
3. PRODUCT SPECIFICATION : PS-02-09.
4. PACKAGING INFORMATION : SEE CHART.
5. ETCHED CIRCUIT I.D. NUMBERS ON SIDE OF HOUSINGS TO BE PRESENT ON PARTS FROM TOOLS BUILT AFTER 2/28/94.
6. PARTS CONFORM TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

ADD NOTES 2, 4 & 6 — 2007/04/17
EC NO: UCP2007-2415 — 2007/05/03
DRWN:AELHAG
CHKD:LSCHMIDT — 2007/05/03
APPR:FSMITH
DESCRIPTION
REV: AE

QUALITY SYMBOLS
▼=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

| | mm | INCH |
|---|---|---|
| 4 PLACES | ± --- | ± --- |
| 3 PLACES | ± --- | ± .010 |
| 2 PLACES | ± 0.25 | ± .014 |
| 1 PLACE | ± 0.35 | ± --- |
| ANGULAR ±1/2° | | |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

| | | | |
|---|---|---|---|
| DIMENSION STYLE | IN/MM | SCALE | 1:1 |
| DESIGN UNITS | INCH | | THIRD ANGLE PROJECTION |
| DRAWN BY | KBW | DATE | 6/14/1989 |
| CHECKED BY | RW | DATE | 6/14/1989 |
| APPROVED BY | RAS | DATE | 6/14/1989 |

TITLE: .093/(2.36) HOUSINGS PLUG & RECEPTACLE 15 CIRCUIT,.198/(5.03)CL

molex MOLEX INCORPORATED

MATERIAL NO.: SEE CHART
DOCUMENT NO.: SD-1375-*
SHEET NO.: 2 OF 2

SIZE C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

TradeElectronics.ru

гарантия бесперебойности производства и качества выпускаемой продукции

## О компании

ООО "ТрейдЭлектроникс" - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Наличие собственной эффективной системы логистики обеспечивает надежную поставку продукции по конкурентным ценам в точно указанные сроки.

Срок поставки со стоков в **Европе и Америке – от 3 до 14 дней.**

Срок поставки из **Азии – от 10 дней.**

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Предоставляем спец цены на элементы для создания инженерных сэмплов.

**Упорный труд, качественный результат дают нам право быть уверенными в себе и надежными для наших клиентов.**

## Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование

Наша организация особенно сильна в поставках модулей, микросхем, пассивных компонентов, ксайленсах (XC), EPF, EPM и силовой электроники.

Большой выбор предлагаемой продукции, различные виды оплаты и доставки, позволят Вам сэкономить время и получить максимум выгоды от сотрудничества с нами!

Trade Electronics.ru

гарантия бесперебойности производства и качества выпускаемой продукции

## Перечень производителей, продукцию которых мы поставляем на российский рынок



Trade Electronics.ru

гарантия бесперебойности производства и качества выпускаемой продукции

С удовольствием будем прорабатывать для Вас поставки всех необходимых компонентов по текущим запросам для скорейшего выявления групп элементов, по которым сотрудничество именно с нашей компанией будет для Вас максимально выгодным!

С уважением,

Менеджер отдела продаж ООО

«Трейд Электроникс»

Шишлаков Евгений

8 (495)668-30-28 доб 169

manager28@tradeelectronics.ru

http://www.tradeelectronics.ru/