




Atmel SAM4S Series

Scalable Performance and Memory Density, Power Efficiency



Based on the powerful ARM® Cortex™-M4 processor, the Atmel® SAM4S series extends the Atmel Cortex-M portfolio to offer:

- Increased performance and power efficiency
- Higher memory densities up to 2MB of Flash and 160KB of SRAM
- And a rich peripheral set for connectivity, system control and analog interfacing.

Devices are pin-to-pin and software compatible with current SAM3 Cortex-M3-based MCUs, offering a smooth upwards migration path for performance and memory size.

Key Features

- **Improved Performance Level** — Built around the ARM Cortex-M4 processor, the SAM4S operates at 120MHz and integrates Atmel's Flash read accelerator and optional cache memory to increase system performance. The SAM4S features a multi-layer bus matrix, multi-channel direct memory access (DMA) and distributed memory to support high data rate communication.
- **Low Power Consumption** — The SAM4S series achieves 200µA/MHz in dynamic mode at a low operating frequency; 30mA at 120MHz; and 1µA at 1.8V in back-up mode with the real-time clock (RTC) running. Offering some of the best power consumption/performance rates on the market for standby mode, the SAM4S series reaches 120MHz operating frequency with a RAM retention mode below 25µA.
- **Safety and Security** — Integrated best-in-class hardware code protection:
 - Prevents access to on-chip memory to protect your intellectual property (IP).
 - Supports secure device reconditioning (chip erase) for reprogramming.
 - A unique 128-bit ID and scrambled external bus interface ensure software confidentiality while the hardware CRC checks memory integrity.
- **Atmel QTouch Capacitive Touch Support** — The SAM4S series is touch-ready, offering native support for Atmel's market-leading QTouch® technology so you can easily implement buttons, sliders and wheels in your application.
- **Ease of Use** — Accelerate your development cycle with Atmel Studio 6, a seamless, easy-to-use integrated development environment (IDE). Get a jump-start on your design with dedicated evaluation kits and software packages. For rapid evaluation and code development, Atmel and industry-leading third parties provide a full range of development tools, real-time operating system (RTOS), middleware and support services to reduce time to market.

Application Areas

- Consumer goods and toys
- Industrial control
- Metering
- Medical
- Test and measurement
- 802.15.4 wireless networking
- PC, cell phone, gaming peripherals

Evaluation Kit and Ecosystem

- Full-featured evaluation board and software library
- Supported by Atmel Studio 6 integrated development environment (IDE)
- Atmel QTouch® library support for buttons, wheels and sliders
- Worldwide support ecosystem of industry-leading suppliers of development tools, real-time operating systems and middleware products

- **Kit Ordering Code: ATSAM4S-EK
ATSAM4S-EK2**



SAM4S Ordering Information

Atmel Ordering Code	Package	Evaluation Kit
ATSAM4S8BA-MU	QFN64	SAM4S-EK
ATSAM4S8BA-AU	LQFP64	SAM4S-EK
ATSAM4S8CA-AU	LQFP100	SAM4S-EK
ATSAM4S8CA-CU	TFBGA 100	SAM4S-EK
ATSAM4S8CA-CFU	VFBGA 100	SAM4S-EK
ATSAM4S16BA-MU	QFN64	SAM4S-EK
ATSAM4S16BA-AU	LQFP64	SAM4S-EK
ATSAM4S16CA-AU	LQFP100	SAM4S-EK

Atmel Ordering Code	Package	Evaluation Kit
ATSAM4S16CA-CU	TFBGA 100	SAM4S-EK
ATSAM4S16CA-CFU	VFBGA 100	SAM4S-EK
ATSAM4SD32BA-MU	QFN64	SAM4S-EK2
ATSAM4SD32BA-AU	LQFP64	SAM4S-EK2
ATSAM4SD32CA-CU	TFBGA 100	SAM4S-EK2
ATSAM4SD32CA-CFU	VFBGA 100	SAM4S-EK2
ATSAM4SD32CA-AU	LQFP100	SAM4S-EK2



Atmel® | Enabling Unlimited Possibilities®

Atmel Corporation

1600 Technology Drive
San Jose, CA 95110
USA

Tel: (+1)(408) 441-0311

Fax: (+1)(408) 487-2600

www.atmel.com

Atmel Asia Limited

Unit 01-5 & 16, 19F
BEA Tower, Millennium City 5
418 Kwun Tong Road
Kwun Tong, Kowloon
HONG KONG

Tel: (+852) 2245-6100

Fax: (+852) 2722-1369

Atmel Munich GmbH

Business Campus
Parking 4
D-85748 Garching b. Munich
GERMANY

Tel: (+49) 89-31970-0

Fax: (+49) 89-3194621

Atmel Japan

9F, Tonetsu Shinkawa Bldg.
1-24-8 Shinkawa
Chuo-ku, Tokyo 104-0033
JAPAN

Tel: (+81)(3) 3523-3551

Fax: (+81)(3) 3523-7581

© 2012 Atmel Corporation. All rights reserved. / Rev.: 11177A-ATARM4S-E-A4-07/12

Atmel®, Atmel logo and combinations thereof, and others are registered trademarks or trademarks of Atmel Corporation or its subsidiaries. ARM®, ARMPowered® logo and others are the registered trademarks or trademarks of ARM Ltd. Other terms and product names may be the trademarks of others. Atmel logo and combinations thereof, and others are registered trademarks or trademarks of Atmel Corporation or its subsidiaries.

Disclaimer: The information in this document is provided in connection with Atmel products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Atmel products. EXCEPT AS SET FORTH IN THE ATMEL TERMS AND CONDITIONS OF SALES LOCATED ON THE ATMEL WEBSITE, ATMEL ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL ATMEL BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS AND PROFITS, BUSINESS INTERRUPTION, OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF ATMEL HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Atmel makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and products descriptions at any time without notice. Atmel does not make any commitment to update the information contained herein. Unless specifically provided otherwise, Atmel products are not suitable for, and shall not be used in, automotive applications. Atmel products are not intended, authorized, or warranted for use as components in applications intended to support or sustain life.

О компании

ООО "ТрейдЭлектроникс" - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Наличие собственной эффективной системы логистики обеспечивает надежную поставку продукции по конкурентным ценам в точно указанные сроки.

Срок поставки со стоков в **Европе и Америке – от 3 до 14 дней.**

Срок поставки из **Азии – от 10 дней.**

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Предоставляем спец цены на элементы для создания инженерных сэмплов.

Упорный труд, качественный результат дают нам право быть уверенными в себе и надежными для наших клиентов.

Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование

Наша организация особенно сильна в поставках модулей, микросхем, пассивных компонентов, ксайленсах (XC), EPF, EPM и силовой электроники.

Большой выбор предлагаемой продукции, различные виды оплаты и доставки, позволят Вам сэкономить время и получить максимум выгоды от сотрудничества с нами!

Перечень производителей, продукцию которых мы поставляем на российский рынок



С удовольствием будем прорабатывать для Вас поставки всех необходимых компонентов по текущим запросам для скорейшего выявления групп элементов, по которым сотрудничество именно с нашей компанией будет для Вас максимально выгодным!

С уважением,

Менеджер отдела продаж ООО

«Трейд Электроникс»

Шишлаков Евгений

8 (495)668-30-28 доб 169

manager28@tradeelectronics.ru

<http://www.tradeelectronics.ru/>