




ALTERNATE GEOMETRY
SEE NOTE 10





SELECTIVE PLATING
LOCATION






CUT OFF DIM.





SECTION A-A



NOTES:
1. MATERIAL: SEE LEGEND
2. FINISH:
   909 - OVERALL HOT TIN DIP: .000100/(0.00254) MIN.
   154 - OVERALL TIN: .000100/(0.00254) MIN. OVER
   .000050/(0.00127) MIN. NICKEL.
   555 - SELECT HARD GOLD: .000015/(0.00038) MIN.
   OVERALL NICKEL: .000030/(0.00076) MIN.
   558 - SELECT HARD GOLD: .000030/(0.00076) MIN.
   OVERALL NICKEL: .000050/(0.00127) MIN.
   OVERALL HARD GOLD FLASH: .000002/(0.00005) MIN.
   561 - SELECT HARD GOLD: .000030/(0.00076) MIN.
   OVERALL NICKEL: .000050/(0.00127) MIN.
3. PRODUCT SPECIFICATION: PS-40-02
4. PACKAGING SPECIFICATION: CHAIN FORM: SEE PK-6838-001
   LOOSE FORM: SEE PK-2759-001
5. TERMINAL FOR USE IN HOUSING SERIES 6442 AND 41695.
6. SEE 7258 SERIES FOR THIS PART WITH CRIMP FOR 22-26 AWG. WIRE.
7. CRIMP FOR 18 TO 20 GA. WIRE WITH MAX. INSULATION DIA. OF .100/(2.79).
   STRIP LENGTH OF .125/.100 / (3.18/2.54)
8. DIMENSIONS GIVEN ACROSS CENTERLINES ARE SYMMETRICAL ABOUT
   THOSE CENTERLINES WITHIN HALF THE TOTAL TOLERANCE.
9. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.
10. ALTERNATE GEOMETRY PRESENT ON SOME PART NUMBERS. SEE SHEET 2.

LEGEND: 6838-* (*) * *


MATERIAL:
(.27)/.0106 THK
BLANK=BRASS
A=PHOS BRONZE

WINDING
A= PER DETAIL A
BLANK= PER DETAIL B

FORM
BLANK= CHAIN
L= LOOSE


PLATING
SEE NOTE 2

WINDING DETAIL "A"



PAPER
INTERLEAF

WINDING DETAIL "B"



PAPER
INTERLEAF

REV	DESCRIPTION
2	AR
1	AR
SHT	REV

102 TO 154 PLTG.
EC NO: UCP2012-1821 2012/01/04
DRWN:MMSTROH 2012/01/05
CHKD:MKIPPER
APPR:FSMITH 2012/02/02

AR

QUALITY SYMBOLS
▽ =0
▽ =0
▽ =0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .010
2 PLACES	± 0.25	± .015
1 PLACE	± 0.36	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: ---
DESIGN UNITS: INCH
THIRD ANGLE PROJECTION

DRAWN BY	GUZIK	DATE 11/15/89
CHECKED BY	PATEL	DATE 11/15/89
APPROVED BY	LENZ	DATE 11/15/89
MATERIAL NO.	SEE CHART	

TITLE: TRIFURCON TERMINAL CRIMP TYPE, .156 CENTERS 18 TO 20 AWG WIRE

MOLEX INCORPORATED

DOCUMENT NO. SD-6838

SHEET NO. 1 OF 2

SIZE D

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

6838-(*)*-*		
PART NO.	ENG. NO.	
08-50-0187	6838-(P909)	SEE NOTE 1
08-50-0189	6838-(P909)L	SEE NOTE 1
08-50-0275	6838-(P909)-A	

6838-A(*)*-*		
PART NO.	ENG. NO.	
08-58-0187	6838-A(P558)	
08-58-0189	6838-A(P558)L	
08-52-0112	6838-A(P909)	SEE NOTE 1
08-52-0113	6838-A(P909)L	SEE NOTE 1
08-50-0024	6838-A(154)	
08-50-0251	6838-A(154)L	
08-58-0105	6838-A(P555)	
08-58-0106	6838-A(P555)L	
08-58-0110	6838-A(P561)	SEE NOTE 1
08-58-0111	6838-A(P561)L	SEE NOTE 1
08-58-0118	6838-A(561)	
08-58-0119	6838-A(561)L	

NOTES:

1. PART MANUFACTURED WITH ALTERNATE GEOMETRY. SEE SHEET 1.

SEE SHEET 1
EC NO: UCP2012-1821
DRWN:MMSTROH 2012/01/04
CHKD:MKIPPER 2012/01/05
APPR:FSMITH 2012/02/02
DESCRIPTION
REV
AR

QUALITY SYMBOLS
⌀=0
⌀=0
⌀=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: ---
DESIGN UNITS: INCH
THIRD ANGLE PROJECTION


DRAWN BY: GUZIK DATE: 11/15/89
CHECKED BY: PATEL DATE: 11/15/89
APPROVED BY: LENZ DATE: 11/15/89
MATERIAL NO.: SEE CHART


TITLE: TRIFURCON TERMINAL CRIMP TYPE, .156 CENTERS 18 TO 20 AWG WIRE


MOLEX INCORPORATED

DOCUMENT NO.: SD-6838
SHEET NO.: 2 OF 2
SIZE: D


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION








NOTES:
1. MATERIAL: SEE LEGEND
2. FINISH: 909 - OVERALL HOT TIN DIP: .000100/(0.00254) MIN.
3. PRODUCT SPECIFICATION: PS-40-02
4. PACKAGING SPECIFICATION: PK-6838-001
5. PART IS FOR USE WITH 18 TO 20 GA. WIRE WITH MAX. INSULATION DIA. OF .110/(2.79), STRIP LENGTH OF .125/.100 / (3.18/2.54).
6. SEE 7258 SERIES FOR THIS PART WITH CRIMP FOR 22-26 AWG. WIRE.
7. TERMINAL FOR USE IN 6442 AND 41695 SERIES HOUSINGS.
8. DIMENSIONS GIVEN ACROSS CENTERLINES ARE SYMMETRICAL ABOUT THOSE CENTERLINES WITHIN HALF THE TOTAL TOLERANCE.
9. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.



SECTION A-A



LEGEND: 6838-* (P909) * *


MATERIAL:
(.27)/.0106 THK
BLANK=BRASS

WINDING
BLANK= PER DETAIL B


FORM
BLANK= CHAIN

PLATING PER SDES-88
SEE NOTE 2

WINDING DETAIL "A"



WINDING DETAIL "B"



UPDATE GEOMETRY
EC NO: UCP2011-0681
DRWN:MKIPPER 2010/09/14
CHKD:SSOUSEK 2011/02/23
APPR:FSMITH 2011/02/25
DESCRIPTION
REV: C

QUALITY SYMBOLS
▽ =0
▽ =0
▽ =0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .010
2 PLACES	± 0.25	± .015
1 PLACE	± 0.36	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: ---
DESIGN UNITS: INCH
THIRD ANGLE PROJECTION

DRAWN BY: JJS 07/29/04
CHECKED BY: KSS 07/29/04
APPROVED BY: YM 07/29/04

TITLE: TRIFURCON TERMINAL CRIMP TYPE, .156 CENTERS 18 TO 20 AWG WIRE
MOLEX INCORPORATED
MATERIAL NO.: 50291639
DOCUMENT NO.: SD-6838-001
SHEET NO.: 1 OF 1
SIZE: D

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9