


NOTES 1. 材質
MATERIAL
ハウジング：ガラス入りＰＰＳ、茶色、ＵＬ９４Ｖ－０
HOUSING:POLYPHENYLENE SULFIDE,GLASS FILLED,BROWN,UL94V-0
ターミナル：銅合金 （ｔ＝0.2）、ニッケルメッキ下地１．５マイクロメートル以上
TERMINAL:COPPER ALLOY, UNDER-PLATING:NICKEL 1.5 MICROMETER MIN.
接点部 ：金メッキ ０．２５マイクロメートル以上
CONTACT AREA:GOLD 0.25 MICROMETER MIN.
半田付け部 ：錫メッキ１．０マイクロメートル以上
SOLDER TAIL AREA:TIN 1.0 MICROMETER MIN.
ネール ：リン青銅（ｔ＝0.2）、ニッケルメッキ下地１．０マイクロメートル以上
NAIL:PHOSPHOR BRONZE, UNDER-PLATING:NICKEL 1.0 MICROMETER MIN.
錫メッキ１．０マイクロメートル以上
TIN 1.0 MICROMETER MIN.
吸着カバー：ステンレス （ｔ＝ 0.2 ）
VACUUM COVER:STAINLESS STEEL

2. テールのバラツキ寸法
TAIL COPLANARITY
テール平坦度は、０．１ミリ以下とする。
TAILS COPLANARITY TO BE 0.1 MILLIMETER MAX.

無し NO	66.47	65.37	62.865	70.37	53627-2074	—	200
	53.77	52.67	50.165	57.67	—	53627-1675	160
	47.42	46.32	43.815	51.32	53627-1474	-1475	140
	41.07	39.97	37.465	44.97	-1274	-1275	120
	34.72	33.62	31.115	38.62	-1074	-1075	100
	31.55	30.45	27.94	35.45	-0974	-0975	90
	28.37	27.27	24.765	32.27	-0874	-0875	80
有り YES	25.2	24.1	21.59	29.1	-0774	-0775	70
	22.02	20.92	18.415	25.92	-0674	-0675	60
	18.85	17.75	15.24	22.75	-0574	-0575	50
	15.67	14.57	12.065	19.57	-0474	-0475	40
	12.5	11.4	8.89	16.4	-0374	-0375	30
	9.32	8.22	5.715	13.22	53627-0274	53627-0275	20
ハウジングロック HS'G LOCK	D	C	B	A	エンボス梱包 EMBOSSED PACKAGE	スティック梱包 STICK PACKAGE	極数 CIRCUITS
					CONNECTOR SERIES No.		53627-**72

REVISED
EC NO: J2010-2458 2010/06/04
DRWN:TKAIHO 2010/06/10
CH'KD:M.SASAO
APPR:MSASAO 2010/06/11
DESCRIPTION
B
REV

GENERAL TOLERANCES (UNLESS SPECIFIED)

10 UNDER	±0.2
10 OVER 30 UNDER	±0.25
30 OVER	±0.3
ANGULAR	±3 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM ONLY
SCALE: ---
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION


DRAWN BY: Y.SAKIYAMA DATE: 2004/03/05
CHECKED BY: M.SASAO DATE: 2004/03/05
APPROVED BY: M.SASAO DATE: 2004/03/05


TITLE: 0.635 PITCH B/B CONN. PLUG HSG COVER ASSY -LEAD FREE-

MOLEX INCORPORATED

MATERIAL NO.: SEE CHART
DOCUMENT NO.: SD-53627-001
SHEET NO.: 1 OF 1
SIZE: A3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION






DETAIL F

NOTES


1. 製品番号 53627-**72 の詳細寸法については SD-53627-001 を参照下さい。
IN THE PACKAGE , PART NO. 53627-**72 DETAILED DIMENSIONS , SEE SD-53627-001.

2. 梱包数量 : 700個／リール
NUMBER OF CONNECTORS : 700 PCS/REEL

3. リードテープ長さ
LEAD TAPE LENGTH



4. トップテープの剥離強度 （剥離方向は下図参照）
PEELING OFF FORCE OF TOP TAPE (PEELING DIRECTION AS SHOWN IN FOLLOWING FIG.)
0.1 ～ 1.3N {10 ～ 130gf}
尚、本規格値は、出荷時に適用。
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT
（但し、輸送時に剥離が発生しない事。）
(PEEL OFF SHOULD NOT BE ALLOWED,DURING TRANSPORTATION)



5. 材料
MATERIAL
キャリアテープ : ポリプロピレン（PP）
CARRIER TAPE : POLYPROPYLENE (PP)
トップテープ : PET, PE, PEF
TOP TAPE : PET , PE , PEF
リール : 紙
REEL CARD BOARD

REVISED				
EC NO: J2010-2458	DRWN:TKAIHO	CH'KD:M.SASAO	APPR:MSASAO	DESCRIPTION
2010/06/04	2010/06/10	2010/06/11		
B				REV

GENERAL TOLERANCES (UNLESS SPECIFIED)


10 UNDER	±0.2
10 OVER 30 UNDER	±0.25
30 OVER	±0.3
ANGULAR	±3 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS


DIMENSION STYLE	MM ONLY
DRAWN BY	Y.SAKIYAMA
DATE	2004/03/05
CHECKED BY	M.SASAO
DATE	2004/03/05
APPROVED BY	M.SASAO
DATE	2004/03/05
MATERIAL NO.	SEE CHART
SIZE	A3


CONNECTOR SERIES No.	53627-**72
SCALE	---
DESIGN UNITS	METRIC
	THIRD ANGLE PROJECTION
TITLE	EMBSTP PKG FOR 0.635 B/B PLUG HSG ASSY (H=10) -LEAD FREE-
	MOLEX INCORPORATED
DOCUMENT NO.	SD-53627-002
SHEET NO.	1 OF 3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION



断面 Y−Y
SECTION Y-Y





A部詳細

E	D	C キャリアテープ幅 CARRIER TAPE WIDTH	(B)	(A)	MATERIAL NO.	極数 CIRCUITS
56.4	52.4	56	26.2	38.9	53627-1074	100
				35.8	-0974	90
44.4	40.4	44	20.2	32.6	-0874	80
				29.4	-0774	70
				26.2	-0674	60
				23.1	-0574	50
32.4	28.4	32	14.2	19.9	-0474	40
				16.7	-0374	30
24.4	〃	24	11.5	13.5	53627-0274	20

REVISED
EC NO: J2010-2458 2010/06/04
DRWN:TKAIHO 2010/06/10
CH'KD:M.SASAO 2010/06/11
APPR:MSASAO
DESCRIPTION
REV
B

GENERAL TOLERANCES (UNLESS SPECIFIED)

10 UNDER	±0.2
10 OVER 30 UNDER	±0.25
30 OVER	±0.3
ANGULAR	±3 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM ONLY
SCALE: ---
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: Y.SAKIYAMA DATE: 2004/03/05
CHECKED BY: M.SASAO DATE: 2004/03/05
APPROVED BY: M.SASAO DATE: 2004/03/05


CONNECTOR SERIES No.: 53627-**72

TITLE: EMBSTP PKG FOR 0.635 B/B PLUG HSG ASSY (H=10) -LEAD FREE-

MOLEX INCORPORATED

MATERIAL NO.: SEE CHART
DOCUMENT NO.: SD-53627-002
SHEET NO.: 2 OF 3
SIZE: A3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION



E	D	C キャリアテープ幅 CARRIER TAPE WIDTH	(B)	(A)	MATERIAL NO.	極数 CIRCUITS
88.4	84.4	88	42.2	70.7	53627-2074	200
72.4	68.4	72	34.2	51.6	53627-1474	140
				45.3	53627-1274	120

REVISED	EC NO: J2010-2458	DRWN:TKAIHO	CH'KD:M.SASAO	APPR:MSASAO	DESCRIPTION	REV
	2010/06/04	2010/06/10	2010/06/11			
						B

GENERAL TOLERANCES (UNLESS SPECIFIED)

10 UNDER	±0.2
10 OVER 30 UNDER	±0.25
30 OVER	±0.3
ANGULAR ±3 °	

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE	MM ONLY
SCALE	---
DESIGN UNITS	METRIC
	THIRD ANGLE PROJECTION
DRAWN BY	Y.SAKIYAMA
DATE	2004/03/05
CHECKED BY	M.SASAO
DATE	2004/03/05
APPROVED BY	M.SASAO
DATE	2004/03/05
MATERIAL NO.	SEE CHART
CONNECTOR SERIES No.	53627-**72
TITLE	EMBSTP PKG FOR 0.635 B/B PLUG HSG ASSY (H=10) -LEAD FREE-
	MOLEX INCORPORATED
DOCUMENT NO.	SD-53627-002
SHEET NO.	3 OF 3
SIZE	A3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9