

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION –,– .
© COPYRIGHT – By – ALL RIGHTS RESERVED.

LOC	DIST
FT	0

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	AS1	REVISED PER ECO-11-004587	11MAR11	RK	HMR





1. BRASS PER ASTM B-36.
2. 2.54µm[.000100] MIN TIN-LEAD OVER 1.27µm[.000050] MIN NICKEL.
3. 0.76µm[.000030] MIN PRECIOUS METAL PLATING CONFORMS TO THE REQUIREMENTS OF TE PRODUCT SPEC 108-10042, BASED ON EIA/ECA-364-1000.01 (CONTROLLED ENVIRONMENT APPLICATIONS), OVER 1.27µm[.000050] MIN NICKEL.
4. 0.76µm [.000030] MIN PRECIOUS METAL PLATE ON MATING END FOR A LENGTH OF 5.08 [.200] MIN OVER 1.27µm [.000050] MIN NICKEL PLATE. GOLD FLASH ALL OVER. CONFORMS TO THE REQUIREMENTS OF TE CONNECTIVITY PRODUCT SPEC 108-10042, BASED ON EIA/ECA-364-1000.01A (CONTROLLED ENVIRONMENT APPLICATIONS).
5. SELECTIVELY PLATED 0.51µm[.000020] MIN GOLD, FOR A DISTANCE OF 5.08[.200] FROM MATING END, GOLD FLASH ON REMAINDER, ALL OVER 0.76µm[.000030] MIN NICKEL.
6. POST WILL ACCEPT (SEE TABLE) TERMINATIONS.
7. POST PLATING .000100 MIN TIN OVER .000050 MIN NICKEL.
8. .0001000 TIN OVER .000050 NICKEL.

			B	A	
FINISH	BODY FINISH	NO OF TERM			PART NUMBER
7	8	3	46.08 [1.814]	25.91 [1.020]	6-66460-6
7	8	1	35.97 [1.416]	15.80 [.622]	6-66460-5
7	4	3	46.08 [1.814]	25.91 [1.020]	6-66460-4
7	4	2	41.28 [1.625]	21.11 [.831]	6-66460-3
7	4	1	35.97 [1.416]	15.80 [.622]	6-66460-2
2	2	SPECIAL	33.40 [1.315]	13.23 [.521]	6-66460-1
2	3	SPECIAL	65.61 [2.583]	45.44 [1.789]	5-66460-0
2	3	SPECIAL	57.73 [2.273]	37.57 [1.479]	4-66460-9
2	3	SPECIAL	49.86 [1.963]	29.69 [1.169]	4-66460-8
2	3	SPECIAL	68.60 [2.701]	48.44 [1.907]	3-66460-0
2	3	SPECIAL	59.71 [2.351]	39.55 [1.557]	2-66460-9
2	3	SPECIAL	50.82 [2.001]	30.66 [1.207]	2-66460-8
2	4	1	34.80 [1.370]	14.63 [.576]	2-66460-1
2	4	–	34.77 [1.369]	14.63 [.576]	2-66460-0
2	4	SPECIAL	52.78 [2.078]	32.61 [1.284]	1-66460-9
OBSOLETE 2	5	2	41.28 [1.625]	21.11 [.831]	1-66460-8
2	4	2	41.28 [1.625]	21.11 [.831]	1-66460-1
2	4	SPECIAL	33.40 [1.315]	13.23 [.521]	1-66460-0
2	4	3	46.08 [1.814]	25.91 [1.020]	66460-9
2	4	2	41.28 [1.625]	21.11 [.831]	66460-8
2	4	1	35.97 [1.416]	15.80 [.622]	66460-7
2	3	3	46.08 [1.814]	25.91 [1.020]	66460-6
SUPERSEDED BY 66460-8 2	3	2	41.28 [1.625]	21.11 [.831]	66460-5
2	3	1	35.97 [1.416]	15.80 [.622]	66460-4
2	2	3	46.08 [1.814]	25.91 [1.020]	66460-3
2	2	2	41.28 [1.625]	21.11 [.831]	66460-2
2	2	1	35.97 [1.416]	15.80 [.622]	66460-1

66460

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: MM [INCHES]

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± –
1 PLC ± –
2 PLC ± 0.25 [.010]
3 PLC ± –
4 PLC ± –
ANGLES ± –

MATERIAL: SEE CALLOUTS
FINISH: SEE CALLOUTS

DWN 06 JUN 96 C.REIFSNYDER
CHK 27 JUN 96 R.STONE
APVD 23 JUL 96 G.A.STEINHAUER
PRODUCT SPEC –
APPLICATION SPEC –
WEIGHT –

CUSTOMER DRAWING

TE Connectivity

NAME: PIN CONTACT, CRIMPED, .062, .025 X .025 POSST, M SERIES

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C-66460	–

SCALE	SHEET	REV
4:1	1 OF 2	AS1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION –,– .
© COPYRIGHT – By – ALL RIGHTS RESERVED.

LOC	DIST
FT	0

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	–	SEE SHEET 1	–	—	—

POST FINISH	BODY FINISH	NO OF TERM	B	A	PART NUMBER
△7	△4	SPECIAL	33.40 [1.315]	13.23 [.521]	6–66460–8
△7	△8	2	41.28 [1.625]	21.11 [.831]	6–66460–7

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±	–
1 PLC	±	–
2 PLC	±	0.25 [.010]
3 PLC	±	–
4 PLC	±	–
ANGLES	±	–

MATERIAL: SEE CALLOUTS

FINISH: SEE CALLOUTS

DWN C.REIFSNYDER 06 JUN 96
CHK R.STONE 27 JUN 96
APVD G.A.STEINHAUER 23 JUL 96
PRODUCT SPEC —
APPLICATION SPEC —
WEIGHT —

TE Connectivity

NAME: PIN CONTACT, CRIMPED, .062, .025 X .025 POSST, M SERIES

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C-66460	—

CUSTOMER DRAWING | SCALE 4:1 | SHEET 2 OF 2 | REV AS1

66460

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9