

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - TE CONNECTIVITY ALL RIGHTS RESERVED.


LOC	DIST
ES	00


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	F5	REMOVED 2-8			









1. "AMP", PART NUMBER, AND DATE CODE TO BE MARKED IN AREA SHOWN PARTS UNDER 2.000 MAY BE MARKED ON BOTH SIDES.
2. MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-O
   SIGNAL CONTACT - COPPER ALLOY
   POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
3. CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
4. MECHANICAL CONNECTOR KEEP OUT ZONE
5. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
6. PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES
7. PCB - .0453 ±.0010 DRILLED HOLE PLATED WITH .0003 MIN Sn OVER .001-.003 PLATING TO ACHIEVE A .040 HOLE
8. FOR P/S/P, P/S/LP CONFIGURATION, PLEASE REFER TO SHEET 2
9. CONTACTS LUBRICATED WITH HMI5 AFTER PLATING.

DIM T	DIM S	DIM V	DIM D	DIM U	DIM L	DIM R	DIM W	DIM K	DESCRIPTION	PART NUMBER
.240	.165	1.980	2.080	1.870	2.220	1.4225	.990	.2775	3LP + 16S + 4LP (8)	2-6450880-7
.250	.250	1.750	1.850	1.640	1.990	1.345	.845	.395	2P + 16S + 2P (8)	2-6450880-6
.230	.250	-	5.595	5.385	5.735	4.6025 (8)	3.345	.370 (8)	12P + 48S + 12LP	2-6450880-3
-	-	.880	.980	.770	1.120	.8425	.435	.2775 (8)	1LP + 16S + 1LP	2-6450880-0
.200 (8)	.200	2.350	2.450	2.240	2.590	1.670	1.095	.320 (8)	4HDP + 20S + 4HDP	1-6450880-9
.250 (8)	.250	3.900	4.000	3.790	4.140	2.820	1.520	.320 (8)	5P + 48S + 5P	1-6450880-8
.250	.250	3.300	3.400	3.190	3.540	2.195	1.520	.345	5P + 24S + 5P	1-6450880-7
.250	.250	1.750	1.850	1.640	1.990	1.370	.845	.370	2P + 16S + 2P (8)	1-6450880-5
.250	.250	6.000	6.100	5.890	6.240	4.145	2.270	.345	8P + 72S + 8P (8)	1-6450880-1
-	-	.600	.700	.490	.840	-	.270	-	16S	1-6450880-0
.230 (8)	.250 (8)	5.495	5.595	5.385	5.735	4.6025 (8)	3.345	.370 (8)	12P+ 48S+ 8LP (8) (9)	6450880-8
.250	.250	4.400	4.500	4.290	4.640	2.545	2.270	.345	8P + 8S + 8P	6450880-7
.230	-	1.190	1.290	1.080	1.430	-	1.060	.3775	6LP + 8S	6450880-6
-	-	1.475	1.575	1.365	1.715	1.320	.595	.370 (8)	1P + 24S + 1P	6450880-5
.230 (8)	.250 (8)	-	5.595	5.385	5.735	4.6025 (8)	3.345	.370 (8)	12P+ 48S+ 8LP	6450880-4
.300 (8)	.200	5.150	5.250	5.040	5.390	2.845	1.520	.370 (8)	4ACP + 48S + 12HDP	6450880-3
.230	.250	2.315	2.415	2.205	2.555	1.710	1.035	.3025	6LP + 24S + 3P	6450880-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ±.1
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - (2)
FINISH - -

DWN S.ZHAO 25MAY2007
CHK S.ZHAO 25MAY2007
APVD S.ZHAO 25MAY2007
PRODUCT SPEC 108-2292
APPLICATION SPEC 114-13251
WEIGHT -

TE Connectivity

NAME RIGHT ANGLE RECEPTACLE WITH LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE

SIZE A1 | CAGE CODE 00779 | DRAWING NO C-6450880 | RESTRICTED TO -


CUSTOMER DRAWING | SCALE 4:1 | SHEET 1 OF 13 | REV F5

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - TE CONNECTIVITY ALL RIGHTS RESERVED.


LOC	DIST
ES	00

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



PART NUMBER 6450880-3
UNSPECIFIED DIM REFER TO SHEET 1
SCALE 7:2



PART NUMBER 6450880-4,2-6450880-3
UNSPECIFIED DIM REFER TO SHEET 1
SCALE 7:2



PART NUMBER 2-6450880-0,2-6450880-7
UNSPECIFIED DIM REFER TO SHEET 1
FOR CONFIGURATION LP/S/LP

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±.1
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -
FINISH - -

DWN S ZHAO 25MAY2007
CHK S ZHAO 25MAY2007
APVD S ZHAO 25MAY2007
PRODUCT SPEC 108-2292
APPLICATION SPEC 114-13251
WEIGHT -

TE Connectivity

NAME RIGHT ANGLE RECEPTACLE WITH LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450880	-

CUSTOMER DRAWING SCALE 4:1 SHEET 2 OF 13 REV F5


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - TE CONNECTIVITY ALL RIGHTS RESERVED.

LOC	DIST
ES	00


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	POWER P3	POWER P2	POWER P1	SIGNAL 6	SIGNAL 5	SIGNAL 4	SIGNAL 3	SIGNAL 2	SIGNAL 1	POWER LP6	POWER LP5	POWER LP4	POWER LP3	POWER LP2	POWER LP1
6450880-1	D	RP	RS	RS	D	D	D	D	D	D	LS	LS	LS	LS	LS	LS
	C				C	C	C	C	C	C						
	B				B	B	B	B	B	B						
	A				A	A	A	A	A	A						
6LP + 24S + 3P																



PART NUMBER	ROWS	POWER P16	P15	P14	P13	P12	P11	P10	P9	P8	P7	P6	P5	SIGNAL I2	I1	I0	9	8	7	6	5	4	3	2	I	POWER P4	P3	P2	P1
6450880-3	D	RS	RS	RS	RS	RS	RS	RS	RS	RS	RS	RS	RS	D	D	D	D	D	D	D	D	D	D	D	D	RS	RS	RS	RS
	C													C	C	C	C	C	C	C	C	C	C	C	C				
	B													B	B	B	B	B	B	B	B	B	B	B	B				
	A													A	A	A	A	A	A	A	A	A	A	A	A				
4ACP + 48S + 12HDP																													



SIGNAL CONTACT ROW D	D
SIGNAL CONTACT ROW C	C
SIGNAL CONTACT ROW B	B
SIGNAL CONTACT ROW A	A
STD LP CONTACT	LS
MFBL POWER CONTACT	RP
STD POWER CONTACT	RS
DESCRIPTION	CODE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±.1
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL -
FINISH -

DWN	S.ZHAO	25MAY2007
CHK	S.ZHAO	25MAY2007
APVD	S.ZHAO	25MAY2007
PRODUCT SPEC	108-2292	
APPLICATION SPEC	114-13251	
WEIGHT	-	

TE Connectivity

NAME: RIGHT ANGLE RECEPTACLE WITH LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450880	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 3 OF 13 | REV F5

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - TE CONNECTIVITY ALL RIGHTS RESERVED.

LOC	DIST
ES	00


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	POWER								SIGNAL										POWER											
		LP8	LP7	LP6	LP5	LP4	LP3	LP2	LP1	12	11	10	9	8	7	6	5	4	3	2	1	P12	P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1
6450880-4	D	LS	LS	LS	LS	LS	LS	LS	LS	D	D	D	D	D	D	D	D	D	D	D	D	RS	RS	RS	RS	RS	RS	RS	RS	RS	RS	RS	RS
	C									C	C	C	C	C	C	C	C	C	C	C	C												
	B									B	B	B	B	B	B	B	B	B	B	B	B												
	A									A	A	A	A	A	A	A	A	A	A	A	A												
12P + 48S + 8LP																																	

PART NUMBER	ROWS	POWER								SIGNAL										POWER											
		LP8	LP7	LP6	LP5	LP4	LP3	LP2	LP1	12	11	10	9	8	7	6	5	4	3	2	1	P12	P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1
6450880-8	D	LS	LS	LS	LS	LS	LS	LS	LS	D	D	D	D	D	D	D	D	D	D	D	D	RS	RS	RS	RS	RS	RS	RS	RS	RS	RS	RS	RS
	C									C	C	C	C	C	C	C	C	C	C	C	C												
	B									B	B	B	B	B	B	B	B	B	B	B	B												
	A									A	A	A	A	A	A	A	A	A	A	A	A												
12P + 48S + 8LP																																	

PART NUMBER	ROWS	POWER								SIGNAL										POWER											
		LP8	LP7	LP6	LP5	LP4	LP3	LP2	LP1	12	11	10	9	8	7	6	5	4	3	2	1	P12	P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1
2-6450880-3	D	LS	LS	LS	LS	LS	LS	LS	LS	D	D	D	D	D	D	D	D	D	D	D	D	RS	RS	RS	RS	RS	RS	RS	RS	RS	RS	RS	RS
	C									C	C	C	C	C	C	C	C	C	C	C	C												
	B									B	B	B	B	B	B	B	B	B	B	B	B												
	A									A	A	A	A	A	A	A	A	A	A	A	A												
12P + 48S + 8LP																																	



PCB LAYOUT FOR P/N: 6450880-4 ; 6450880-8 AND 2-6450880-3

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±.1
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -
FINISH - -

DWN S.ZHAO 25MAY2007
CHK S.ZHAO 25MAY2007
APVD S.ZHAO 25MAY2007
PRODUCT SPEC 108-2292
APPLICATION SPEC 114-13251
WEIGHT -

TE Connectivity

NAME RIGHT ANGLE RECEPTACLE WITH LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450880	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 4 OF 13 | REV F5


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - TE CONNECTIVITY ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER	SIGNAL						POWER	
			P2	6	5	4	3	2	1	P1	
6450880-5	D C B A		RS	D C B A	D C B A	D C B A	D C B A	D C B A	D C B A	RS	
1P + 24S + 1P											



PART NUMBER	ROWS		SIGNAL		POWER`						
			2	1	LP6	LP5	LP4	LP3	LP2	LP1	
6450880-6	D C B A		D C B A	D C B A		LS		LS		LS	
6LP + 8S											

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±.1
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -

FINISH - -

DWN	S.ZHAO	25MAY2007
CHK	S.ZHAO	25MAY2007
APVD	S.ZHAO	25MAY2007

PRODUCT SPEC 108-2292
APPLICATION SPEC 114-13251
WEIGHT -

TE Connectivity

NAME RIGHT ANGLE RECEPTACLE WITH LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450880	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 5 OF 13 | REV F5


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - TE CONNECTIVITY ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	POWER P16	P15	P14	P13	P12	P11	P10	P9	SIGNAL 2	1	POWER P8	P7	P6	P5	P4	P3	P2	P1
6450880-7	D C B A	RS	RS	RS	RS	RS	RS	RS	RS	D C B A	D C B A	RS	RS	RS	RS	RS	RS	RS	RS
8P + 8S + 8P																			



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±.1
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -
FINISH - -

DWN	S. ZHAO	25MAY2007
CHK	S. ZHAO	25MAY2007
APVD	S. ZHAO	25MAY2007

PRODUCT SPEC: 108-2292
APPLICATION SPEC: 114-13251
WEIGHT: -

TE Connectivity

NAME: RIGHT ANGLE RECEPTACLE WITH LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450880	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 6 OF 13 | REV F5

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - TE CONNECTIVITY ALL RIGHTS RESERVED.

LOC	DIST
ES	00


REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

©

PART NUMBER	ROWS		SIGNAL 4	3	2	1	
1-6450880-0	D		D	D	D	D	
	C		C	C	C	C	
	B		B	B	B	B	
	A	HD	A	A	A	A	HD
16S							

PART NUMBER	ROWS		POWER P4	POWER P3	SIGNAL 4	3	2	1	POWER P2	POWER P1	
1-6450880-5	D		RS	RS	D	D	D	D	RS	RS	
	C				C	C	C	C			
	B				B	B	B	B			
	A				A	A	A	A			
2P + 16S + 2P											





THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±.1
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -
FINISH - -

DWN	S.ZHAO	25MAY2007
CHK	S.ZHAO	25MAY2007
APVD	S.ZHAO	25MAY2007

PRODUCT SPEC 108-2292
APPLICATION SPEC 114-13251
WEIGHT -

TE Connectivity

NAME RIGHT ANGLE RECEPTACLE WITH LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450880	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 7 OF 13 | REV F5


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - TE CONNECTIVITY ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER								SIGNAL																POWER								
			P16	P15	P14	P13	P12	P11	P10	P9	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	P8	P7	P6	P5	P4	P3	P2	P1
1-6450880-1	D										D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D								
	C										C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C								
	B		RP	RS	RS	RS	RS	RS	RS	RS	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	RS	RS	RS	RS	RS	RS	RS	RP
	A	HD									A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A								
8P + 72S + 8P																																				



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±.1
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -
FINISH - -

DWN S.ZHAO 25MAY2007
CHK S.ZHAO 25MAY2007
APVD S.ZHAO 25MAY2007
PRODUCT SPEC 108-2292
APPLICATION SPEC 114-13251
WEIGHT -

TE Connectivity

NAME RIGHT ANGLE RECEPTACLE WITH LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450880	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 8 OF 13 | REV F5


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - TE CONNECTIVITY ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER					SIGNAL						POWER					
			P10	P9	P8	P7	P6	6	5	4	3	2	1	P5	P4	P3	P2	P1	
1-6450880-7	D C B A	HD	RS	RS	RS	RS	RS	D C B A	D C B A	D C B A	D C B A	D C B A	D C B A	RS	RS	RS	RS	RS	HD
5P + 24S + 5P																			



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±.1
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL -
FINISH -

DWN	S.ZHAO	25MAY2007
CHK	S.ZHAO	25MAY2007
APVD	S.ZHAO	25MAY2007
PRODUCT SPEC	108-2292	
APPLICATION SPEC	114-13251	
WEIGHT	-	

TE Connectivity

NAME: RIGHT ANGLE RECEPTACLE WITH LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450880	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 9 OF 13 | REV F5


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - TE CONNECTIVITY ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER					SIGNAL											POWER					
			P10	P9	P8	P7	P6	12	11	10	9	8	7	6	5	4	3	2	1	P5	P4	P3	P2	P1	
1-6450880-8	D C B A	HD	RS	RS	RS	RS	RS	D C B A	D C B A	D C B A	D C B A	D C B A	D C B A	D C B A	D C B A	D C B A	D C B A	D C B A	D C B A	RS	RS	RS	RS	RS	HD
5P + 48S + 5P																								



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±.1
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -
FINISH - -

DWN S.ZHAO 25MAY2007
CHK S.ZHAO 25MAY2007
APVD S.ZHAO 25MAY2007
PRODUCT SPEC 108-2292
APPLICATION SPEC 114-13251
WEIGHT -

TE Connectivity

NAME RIGHT ANGLE RECEPTACLE WITH LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450880	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 10 OF 13 | REV F5


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - TE CONNECTIVITY ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER				SIGNAL					POWER				
			P8	P7	P6	P5	5	4	3	2	1	P4	P3	P2	P1	
1-6450880-9	D C B A	HD	RS	RS	RS	RS	D C B A	D C B A	D C B A	D C B A	D C B A	RS	RS	RS	RS	HD
4HDP + 20S + 4HDP																



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±.1
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -
FINISH - -

DWN	S. ZHAO	25MAY2007
CHK	S. ZHAO	25MAY2007
APVD	S. ZHAO	25MAY2007

PRODUCT SPEC 108-2292
APPLICATION SPEC 114-13251
WEIGHT -

TE Connectivity

NAME RIGHT ANGLE RECEPTACLE WITH LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450880	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 11 OF 13 | REV F5

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - TE CONNECTIVITY ALL RIGHTS RESERVED.


LOC	DIST
ES	00

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER	SIGNAL				POWER	
			P2	4	3	2	1	P1	
2-6450880-0	D C B A	HD	LS	D C B A	D C B A	D C B A	D C B A	LS	HD
ILP + 16S + ILP									

E7



PART NUMBER	ROWS		POWER		SIGNAL				POWER		
			P4	P3	4	3	2	1	P2	P1	
2-6450880-6	D C B A		RS	RS	D C B A	D C B A	D C B A	D C B A	RS	RS	
2P + 16S + 2P											



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±.1
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -
FINISH - -

DWN	S.ZHAO	25MAY2007
CHK	S.ZHAO	25MAY2007
APVD	S.ZHAO	25MAY2007
PRODUCT SPEC	108-2292	
APPLICATION SPEC	114-13251	
WEIGHT	-	

TE Connectivity

NAME: RIGHT ANGLE RECEPTACLE WITH LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450880	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 12 OF 13 | REV F5


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - TE CONNECTIVITY ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER				SIGNAL				POWER			
			LP7	LP6	LP5	LP4	4	3	2	1	LP3	LP2	LP1	
2-6450880-7	D C B A	HD	LS	LS	LS	LS	D C B A	D C B A	D C B A	D C B A	LS	LS	LS	HD
3LP + 16S + 4LP														



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±.1
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°

MATERIAL - -

FINISH - -

DWN	S.ZHAO	25MAY2007
CHK	S.ZHAO	25MAY2007
APVD	S.ZHAO	25MAY2007

PRODUCT SPEC 108-2292

APPLICATION SPEC 114-13251

WEIGHT -

TE Connectivity

NAME RIGHT ANGLE RECEPTACLE WITH LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-6450880	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 13 OF 13 | REV F5

ООО «НИОКРсистемс» - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование
- Работаем по 275 ФЗ

ООО «НИОКР СИТЕМС»
Москва, 125362, Россия, ул. Вишневая, д. 9, к. 1, Блок 104 а и 104 в

Телефон: 8 (495) 268-14-82
Email: n@nsistems.ru

ИНН: 7735154786
ОГРН: 1167746717709