














RECEPTACLE HOUSING









PLUG HOUSING

OBSOLETE 1625-*041
EC NO: UCP2013-1167 2012/09/21
DRWN:AELHAG 2012/09/21
CH'KD:JBELL 2012/10/01
APPR:FSMITH
DESCRIPTION
REV R1

QUALITY SYMBOLS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .010
2 PLACES	± 0.25	± .014
1 PLACE	± 0.36	± ---
ANGULAR ± 1 °		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: ---
DESIGN UNITS: INCH
THIRD ANGLE PROJECTION

DRAWN BY	AELHAG	DATE 2010/06/30
CHECKED BY	JBELL	DATE 2012/01/23
APPROVED BY	FSMITH	DATE 2011/12/02

TITLE: PLUG & RECEPTACLE HOUSINGS, 4 CIRCUIT, .062 DIA., .145 CENTERS

MOLEX INCORPORATED

MATERIAL NO.: SEE CHART
DOCUMENT NO.: SD-1625-4*
SHEET NO.: 1 OF 2
SIZE: C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION


PLUG		
PART NO.	ENG. NO.	
03-06-2041	1625-4P	OBSOLETE
46999-0267	1625-4P-1	
03-06-7041	1625-4PBK	OBSOLETE
03-06-2042	1625-4P1	
03-06-7042	1625-4P1BK	
46999-0355	1625-4P2	
NOT TOOLED	1625-4P2BK	
46999-0353	1625-4P2-1	
	-	

RECEPTACLE		
PART NO.	ENG. NO.	
03-06-1041	1625-4R	OBSOLETE
03-06-6041	1625-4RBK	OBSOLETE
03-06-1042	1625-4R1	
03-06-6042	1625-4R1BK	
50-29-1758	1625-4R2	
46999-0266	1625-4R2-1	
46999-0354	1625-4R1-1	
	-	
	-	


LEGEND:

1625-4***-*

- CIRCUIT SIZE
- R = RECEPTACLE
  P = PLUG
- BLANK = WITH STANDARD MTG. EARS
  1 = WITHOUT EARS
  2 = WITH PREBENT MTG. EARS
- BLANK = NOT DYED
  AM=AMBER BK=BLACK BU=BLUE
  BN=BROWN GY=GRAY GN=GREEN
  OR=ORANGE RD=RED YW=YELLOW
- BLANK = MATERIAL CODE A
  1 = MATERIAL CODE B




DETAIL 1
STANDARD MOUNTING EARS
(SCALE 4:1)



RECOMMENDED PANEL OPENING

HOUSING	DIM. "A"	DIM. "B"	"C" PREBENT EAR	"C" STANDARD EAR
PLUG	.865/(21.97)	.312/(7.92)	.19/(4.8)	.18/(4.6)
RECEPT.	.785/(19.94)	.260/(6.60)	.21/(5.3)	.20/(5.1)



DETAIL 2
PREBENT MOUNTING EARS
(SCALE 4:1)

NOTES:
1. MATERIAL:
   A = NYLON TYPE 6/6, 94V-2
   B = NYLON PA6, UL94V-2, COLOR: NATURAL
   IEC 60335-1, 4th EDITION, GLOW WIRE CAPABLE
2. FINISH: N/A.
3. THIS PRODUCT COMPLIES WITH MOLEX PRODUCT SPECIFICATION PS-02-06
4. PACKAGING: PK-1625-003.
5. HOUSINGS FOR USE WITH MOLEX .062/(1.57) DIA. SERIES TERMINALS.
6. CIRCUIT I.D. NUMBERS ON SIDE OF HOUSING APPEAR ON PARTS FROM TOOLS BUILT AFTER 8/10/92. PARTS FROM TOOLS BUILT BEFORE THIS DATE WILL HAVE CIRCUIT I.D. RIBS ON HOUSING.
7. PARTS CONFROM TO CLASS 'B' REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

SEE SHEET 1
EC NO: UCP2013-1167 2012/09/21
DRWN:AELHAG 2012/09/21
CHKD:JBELL 2012/10/01
APPR:FSMITH 2012/10/01
DESCRIPTION
R1
REV

QUALITY SYMBOLS
E =0
E =0
E =0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .010
2 PLACES	± 0.25	± .014
1 PLACE	± 0.36	± ---
ANGULAR ± 1 °		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE	IN/MM
SCALE	---
DESIGN UNITS	INCH
	THIRD ANGLE PROJECTION
DRAWN BY / DATE	AELHAG 2010/06/30
CHECKED BY / DATE	JBELL 2012/01/23
APPROVED BY / DATE	FSMITH 2011/12/02
MATERIAL NO.	SEE CHART
DOCUMENT NO.	SD-1625-4*
SHEET NO.	2 OF 2
SIZE	C

TITLE: PLUG & RECEPTACLE HOUSINGS, 4 CIRCUIT, .062 DIA., .145 CENTERS

MOLEX INCORPORATED

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

ООО «НИОКРсистемс» - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование
- Работаем по 275 ФЗ

ООО «НИОКР СИТЕМС»
Москва, 125362, Россия, ул. Вишневая, д. 9, к. 1, Блок 104 а и 104 в

Телефон: 8 (495) 268-14-82
Email: n@nsistems.ru

ИНН: 7735154786
ОГРН: 1167746717709