



| REVISIONS | | | | |
|---|---|---|---|---|
| MFG. | SH. | REV. | LTR. | |
| | 2 | Y1 | Y | REDRAWN PER ECR U2-1543 AFG 92-10-22 RW |
| | 1 | Y1 | | |
| | | Y1 | | OBSOLETE VERSIONS PER ECR U5-0358 9/15/95 RW |

REVISE ONLY ON CAD SYSTEM

DIMENSIONS SHOWN (METRIC) INCH

UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1/2°

| | INCH | METRIC |
|---|---|---|
| 3 PLACE | ± .010 | --- |
| 2 PLACE | ± .014 | ± 0.25 |
| 1 PLACE | --- | ± 0.35 |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DRWG. BY: AFG | CHK'D. BY: RW | APP'D. BY: RAS | SCALE: 4 : 1

TITLE: 1 CKT. HOUSING RECEPTACLE .093/(2.36) DIAMETER

MOLEX INCORPORATED LISLE,ILL. 60532 U.S.A.

SHEET NO.: 1 OF 2 | DATE: 92/10/22

PART NO.: SEE CHART | DRWG. NO.: SD-1619-1R■

FILE NAME: SR1619X1.DGN

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIV.: CP | SIZE: C

| ORDER NO. | ENG. NO. | MATERIAL | LENGTH | DIMENSION "A" | DETENT | FLANGE | MARKING METHOD | COLOR |
|---|---|---|---|---|---|---|---|---|
| 03-09-1011 | 1619-IR1B5N1A5 | 1 | B | 5 | N | 1 | A | 5 |
| 03-09-6011 | 1619-IR1B5N1A6 | 1 | B | 5 | N | 1 | A | 6 |
| 03-09-6012 | 1619-IR1B5N1A7 | 1 | B | 5 | N | 1 | A | 7 |
| 03-09-6013 | 1619-IR1B5N1A8 | 1 | B | 5 | N | 1 | A | 8 |

NOTES:

1. THIS HOUSING IS FOR USE WITH THE .093/(2.36) DIA. TERMINALS.
2. PRODUCT SPEC. 02-09 APPLIES.
3. FOR VERSIONS SPECIFYING LENGTH "B", PARTS PROVIDED FROM TOOLS BUILT PRIOR TO 9/86 HAVE AN OVERALL LENGTH SPECIFICATION OF 1.00/(25.4).

## LEGEND

1619-IR********

**CIRCUIT SIZE**

**TYPE**
R) RECEPTACLE

**MATERIAL**
1) NYLON, TYPE 6/6, FLAMMABILITY RATING: 94V-2.
2) NYLON, TYPE 6/6, FLAMMABILITY RATING: 94V-0, MONSANTO M-340.
3) POLYPROPYLENE, FLAMMABILITY RATING: 94V-0, A. SCHULMAN - POLYFLAM # R.P.P.-958

**LENGTH**
B) 1.03/(26.2) 3
C) 1.15/(29.2)

**DIMENSION "A"**
5) .297/(7.54)
6) .294/(7.47)
7) NONE

**DETENT**
M) NONE
N) WITH DETENT

**COLOR**
1) AMBER
2) BROWN
3) ORANGE
4) GRAY
5) NATURAL
6) BLACK
7) RED
8) BLUE
9) GREEN
0) YELLOW

**MARKING METHOD**
A) NOT APPLICABLE

**FLANGE**
1) NONE
2) WITH FLANGE

| LTR. | REVISIONS | LTR. | REVISIONS |
|---|---|---|---|
| | | Y1 | SEE SHEET 1 |
| | | Y | SEE SHEET 1 |

DIMENSIONS SHOWN (METRIC) INCH
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1/2°

| | INCH | METRIC |
|---|---|---|
| 3 PLACE | ± .010 | --- |
| 2 PLACE | ± .014 | ± 0.25 |
| 1 PLACE | --- | ± 0.35 |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DRWG. BY AFG | CHK'D. BY RW | APP'D. BY RAS | SCALE --:--

▽ = 0 ▼ = 0 REVISE ONLY ON CAD SYSTEM

TITLE: 1 CKT. HOUSING RECEPTACLE .093/(2.36) DIAMETER

molex MOLEX INCORPORATED LISLE,ILL. 60532 U.S.A.

SHEET NO. 2 | DATE 92/10/20

PART NO. SEE CHART | DRWG. NO. SD-1619-IR*

FILE NAME SR1619X2.DGN

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIV. CP | SIZE C

**ООО «НИОКРсистемс» -** это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

## Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование
- Работаем по 275 ФЗ

ООО «НИОКР СИТЕМС»
Москва, 125362, Россия, ул. Вишневая, д. 9, к. 1, Блок 104 а и 104 в

Телефон: 8 (495) 268-14-82
Email: n@nsistems.ru

ИНН: 7735154786
ОГРН: 1167746717709