


PRODUCT NUMBER

71600–YXXLF

- LEAD FREE, SEE NOTE 6
- TOTAL NB OF POSITION 04 TO 64 SEE SHEET 2
- OPTIONAL STRAIN RELIEF SEE SHEET 2







NOTES:

1 – PLASTIC MAT'L : GLASS FILLED HIGH TEMPERATURE THERMOPLASTIC. UL94V–0 COLOR: GREY

2 – PIN MATERIAL : PHOSPHOR BRONZE

3 – PRODUCT PACKAGED IN TUBES.

4 – TO DETERMINE DIMENSIONS :
N = NUMBER OF POSITIONS PER ROW
EXAMPLE : 8 POS N x 2.54 = 20.32mm

5 – 2x5, 2x6, 2x7 HAVE NO LEFT POLARIZING SLOT.
– 2x2, 2x3 WITH CENTRAL KEY HAVE NO TRIANGLE, NO LEFT AND RIGHT POLARIZING SLOT.
– 2x2 WITHOUT CENTRAL KEY HAS NO LEFT AND RIGHT POLARIZING SLOT.
– 2x3, 2x4 WITHOUT CENTRAL KEY HAVE NO LEFT POLARIZING SLOT
– 2x4 WITH CENTRAL KEY HAVE NO LEFT AND RIGHT POLARIZING SLOT

6 – THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS PER GS–22–008.
PACKAGING SPECIFICATION AS PER GS–14–920.

ltr	ecn no	dr	date
AP	F12–0046	LMU	12.04.25
AJ	F05–0171	LMU	05.04.07
AK	F05–0180	LMU	05.04.22
AL	F06–0270	LMU	06.09.12
AM	F06–0274	LMU	06.09.25
AN	F09–0233	LMU	09.12.15

sheet index	revision	AP	AE
	sheet	1	2

dr	D.LE	01.01.24
engr	P.NZ	01.01.24
chr	JF.N	01.01.24
appd	P.NZ	01.01.24

mat'l. code: SEE NOTES
surface: ISO 1302
tolerance: ISO 406 ISO 1101
tolerances unless otherwise specified
angles
linear X.X ±0.3, X.XX ±0.13, X.XXX ±0.05
projection
mm
scale 5:1

product family: 2.54MM IDC
title: QUICKIE III FEM 0.76µm Au
dwg no: 71600
sheet 1 of 2
size: A3
type: CUSTOMER Drawing

Copyright FCI
FCIconnect.com


form: A3

PDM: Rev:AP STATUS: Released Printed: Apr 27, 2012


CORE RANGE	
STRAIN RELIEF	Nbr OF POSITIONS
0/1	04
0/1	06
0/1	08
0/1	10
0/1	14
0/1	16
0/1	18
0/1	20
0/1	24
0/1	26
0/1	30
0/1	34
0/1	40
0/1	50
0/1	60
0/1	64
PLATING 0.76µm GOLD ON CONTACT AREA 1.27 µm Ni REMAINDER OF PRODUCT	

CATALOGUE RANGE	
STRAIN RELIEF	Nbr OF POSITIONS
2/6	04
2/6	06
2/6	08
2/6	10
2/6	14
2/6	16
2/6	18
2/6	20
2/6	24
2/6	26
2/6	30
2/6	34
2/6	40
2/6	50
2/6	60
2/6	64
PLATING 0.76µm GOLD ON CONTACT AREA 1.27 µm Ni REMAINDER OF PRODUCT	


624
304
204 / 224
004
DASHES NOT AVAILABLE




WITHOUT STRAIN RELIEF




WITH LOW PROFILE STRAIN RELIEF




WITH STANDARD STRAIN RELIEF




LOW PROFILE
STRAIN RELIEF



STANDARD
STRAIN RELIEF



LATCHING STRAIN RELIEF
FOR SLIM HEADER



WITH LATCHING STRAIN RELIEF

71600−6YYLF	●					●
71600−3YYLF		●	●			
71600−2YYLF	●				●	
71600−1YYLF	●			●		
71600−0YYLF	●		●			
PRODUCT NUMBER	WITH	WITHOUT	STANDARD	WITHOUT	LOW PROFILE	LATCHING
	CENTRAL KEY		STRAIN RELIEF			

mat'l. code				surface ISO 1302	tolerance ISO 406 ISO 1101	projection	product family
ltr	ecn no	dr	date	tolerances unless otherwise specified			QUICKIE
X	F70666	AAN	97.11.05	angles	linear		title
Y	F10121	DLE	01.01.24			mm	IDC RECEPT
AA	F10199	GCO	01.04.26			scale N/A	DR
AB	F03019	DLE	03.01.23	dr	D.LE	01.01.24	dwg no 71600 — sheet 2 of — — size A3
AC	F05−0180	LMU	05.04.22	engr	P.NZ	01.01.24	
AD	F06−0270	LMU	06.09.12	chr	JF.N	01.01.24	
AE	F06−0274	LMU	06.09.25	appd	P.NZ	01.01.24	type CUSTOMER Drawing
sheet index	revision sheet						

FCIconnect.com
Copyright FCI

form: A3

PDM: Rev:AP STATUS: Released Printed: Apr 27, 2012

ООО «НИОКРсистемс» - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование
- Работаем по 275 ФЗ

ООО «НИОКР СИТЕМС»
Москва, 125362, Россия, ул. Вишневая, д. 9, к. 1, Блок 104 а и 104 в

Телефон: 8 (495) 268-14-82
Email: n@nsistems.ru

ИНН: 7735154786
ОГРН: 1167746717709