












CIRCUIT SIZE	DIM. "A"	DIM. "B"	DIM. "C"
2	—	.21 (5.4)	.370 (9.40)
4	.17 (4.2)	.38 (9.6)	.535 (13.60)
6	.33 (8.4)	.54 (13.8)	.701 (17.80)
8	.50 (12.6)	.71 (18.0)	.866 (22.00)
10	.66 (16.8)	.87 (22.2)	1.031 (26.20)
12	.83 (21.0)	1.04 (26.4)	1.197 (30.40)
14	.99 (25.2)	1.20 (30.6)	1.362 (34.60)
16	1.16 (29.4)	1.37 (34.8)	1.528 (38.80)
18	1.32 (33.6)	1.54 (39.0)	1.693 (43.00)
20	1.49 (37.8)	1.70 (43.2)	1.858 (47.20)
22	1.65 (42.0)	1.87 (47.4)	2.024 (51.40)
24	1.82 (46.2)	2.03 (51.6)	2.189 (55.60)

RECOMMENDED HOLE LAYOUT FOR .070/(1.78) MAX. THICK P. C. BOARD

VIEWED FROM COMPONENT SIDE



8 CKT SHOWN

LEGEND:

5566 - N * * * - * *

- BASE NUMBER
- CIRCUIT SIZE
- ASSEMBLY TYPE
  A - W/O DRAIN HOLES
  B - WITH DRAIN HOLES
- MOUNTING OPTION (SEE NOTE 6.)
- PLATING (SEE NOTE 2.)
- HOUSING MAT'L. (SEE NOTE 1.)
- PACKAGING
  BLANK = TRAY
  1 =TUBE

NOTES:

1) HOUSING MATERIAL:
   "BLANK" - NYLON 6/6, UNFILLED U.L. 94V-2, COLOR: NATURAL.
   210 - NYLON 6/6, UNFILLED U.L. 94V-0, COLOR: NATURAL.
   BL - NYLON 6/6, UNFILLED U.L. 94V-2, COLOR: BLACK.
   TERMINAL MATERIAL: BRASS
2) TERMINAL PLATING:
   "BLANK" - .000035/(.00090) MIN. TIN OVER .000020/(.00050) MIN. COPPER.
   GS - .000030/(.00076) MIN. SELECT GOLD .000100/(.00254) MIN. SELECT MATTE TIN OVER .000050/(.00127) MIN. NICKEL OVERALL.
   GS2 - .000015/(.00038) MIN. SELECT GOLD AND .000100/(.00254) MIN. SELECT MATTE TIN OVER .000050/(.00127) MIN. NICKEL OVERALL.
   S - .000100/(.00254) MIN. TIN OVER .000050/(.00127) MIN. NICKEL.
3) PRODUCT SPECIFICATION: PS-5556-001
4) PACKAGING: SEE CHARTS
5) PART MATES WITH MINI-FIT JR. RECEPTACLE #5557.
6) MOUNTING OPTIONS:
   "BLANK" - NO MOUNTING (SEE SD-5566-002 DWG.)
   2 - PEG MOUNT
7) PART CONFORMS TO CLASS "B" REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002
8) ANTI-SHINGLING RIB MAY OR MAY NOT APPEAR ON HOUSINGS.
9) CONNECTORS ARE NOT TO BE MATED OR UNMATED WHILE CIRCUITS ARE LIVE.
10) PARTS ARE NOT DESIGNED FOR CURRENT SHARING.

REV	DESCRIPTION	
R5	ADD ISO VIEW EC NO: UCP2013-0706 DRWN:NNGUYEN CH'KD:JBELL APPR:FSMITH	2012/08/21 2012/08/21 2012/09/05

QUALITY SYMBOLS: E=0, F=0, P=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .015
2 PLACES	± 0.38	± .020
1 PLACE	± 0.50	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: 4:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY	RJF	DATE 8/19/87
CHECKED BY	GT	DATE 8/19/87
APPROVED BY	FSMITH	DATE 2012/01/10
MATERIAL NO.	SEE SHTS 2-4	

TITLE: MINI-FIT JR. VERTICAL HEADER ASSEMBLIES WITH MOUNTING PEGS

MOLEX INCORPORATED

DOCUMENT NO.: SDA-5566-N*2*-*

SHEET NO.: 1 OF 4

SIZE: C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

PLATING:	35 M.I. TIN	PLATING:	35 M.I. TIN	PLATING:	30 M.I. GOLD	PLATING:	30 M.I. GOLD
DRAIN HOLES:	WITHOUT DRAIN HOLES	DRAIN HOLES:	WITHOUT DRAIN HOLES	DRAIN HOLES:	WITHOUT DRAIN HOLES	DRAIN HOLES:	WITHOUT DRAIN HOLES
MTG. OPTION:	WITH PEGS	MTG. OPTION:	WITH PEGS	MTG. OPTION:	WITH PEGS	MTG. OPTION:	WITH PEGS
HOUSING MAT'L:	NYLON 6/6 94V-2 NATURAL	HOUSING MAT'L:	NYLON 6/6 94V-0 NATURAL	HOUSING MAT'L:	NYLON 6/6 94V-2 NATURAL	HOUSING MAT'L:	NYLON 6/6 94V-0 NATURAL
PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001

PART NO.	ENG NO.	CKTS	PART NO.	ENG NO.	CKTS	PART NO.	ENG NO.	CKTS	PART NO.	ENG NO.	CKTS
39-29-9023	5566 -02A2	2	39-29-9027	5566 -02A2-210	2	39-29-9025	5566 -02A2GS	2	39-29-9029	5566 -02A2GS-210	2
39-29-9043	5566 -04A2	4	39-29-9047	5566 -04A2-210	4	39-29-9045	5566 -04A2GS	4	39-29-9049	5566 -04A2GS-210	4
39-29-9063	5566 -06A2	6	39-29-9067	5566 -06A2-210	6	39-29-9065	5566 -06A2GS	6	39-29-9069	5566 -06A2GS-210	6
39-29-9083	5566 -08A2	8	39-29-9087	5566 -08A2-210	8	39-29-9085	5566 -08A2GS	8	39-29-9089	5566 -08A2GS-210	8
39-29-9103	5566 -10A2	10	39-29-9107	5566 -10A2-210	10	39-29-9105	5566 -10A2GS	10	39-29-9109	5566 -10A2GS-210	10
39-29-9123	5566 -12A2	12	39-29-9127	5566 -12A2-210	12	39-29-9125	5566 -12A2GS	12	39-29-9129	5566 -12A2GS-210	12
39-29-9143	5566 -14A2	14	39-29-9147	5566 -14A2-210	14	39-29-9145	5566 -14A2GS	14	39-29-9149	5566 -14A2GS-210	14
39-29-9163	5566 -16A2	16	39-29-9167	5566 -16A2-210	16	39-29-9165	5566 -16A2GS	16	39-29-9169	5566 -16A2GS-210	16
39-29-9183	5566 -18A2	18	39-29-9187	5566 -18A2-210	18	39-29-9185	5566 -18A2GS	18	39-29-9189	5566 -18A2GS-210	18
39-29-9203	5566 -20A2	20	39-29-9207	5566 -20A2-210	20	39-29-9205	5566 -20A2GS	20	39-29-9209	5566 -20A2GS-210	20
39-29-9223	5566 -22A2	22	39-29-9227	5566 -22A2-210	22	39-29-9225	5566 -22A2GS	22	39-29-9229	5566 -22A2GS-210	22
39-29-9243	5566 -24A2	24	39-29-9247	5566 -24A2-210	24	39-29-9245	5566 -24A2GS	24	39-29-9249	5566 -24A2GS-210	24
	-			-			-			-	
	-			-			-			-	

PLATING:	35 M.I. TIN	PLATING:	35 M.I. TIN	PLATING:	30 M.I. GOLD	PLATING:	30 M.I. GOLD
DRAIN HOLES:	WITH DRAIN HOLES	DRAIN HOLES:	WITH DRAIN HOLES	DRAIN HOLES:	WITH DRAIN HOLES	DRAIN HOLES:	WITH DRAIN HOLES
MTG. OPTION:	WITH PEGS	MTG. OPTION:	WITH PEGS	MTG. OPTION:	WITH PEGS	MTG. OPTION:	WITH PEGS
HOUSING MAT'L:	NYLON 6/6 94V-2 NATURAL	HOUSING MAT'L:	NYLON 6/6 94V-0 NATURAL	HOUSING MAT'L:	NYLON 6/6 94V-2 NATURAL	HOUSING MAT'L:	NYLON 6/6 94V-0 NATURAL
PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001	PACKAGING:	PK-5566-001

PART NO.	ENG NO.	CKTS	PART NO.	ENG NO.	CKTS	PART NO.	ENG NO.	CKTS	PART NO.	ENG NO.	CKTS
39-29-9022	5566 -02B2	2	39-29-9026	5566 -02B2-210	2	39-29-9024	5566 -02B2GS	2	39-28-9028	5566 -02B2GS-210	2
39-29-9042	5566 -04B2	4	39-29-9046	5566 -04B2-210	4	39-29-9044	5566 -04B2GS	4	39-28-9048	5566 -04B2GS-210	4
39-29-9062	5566 -06B2	6	39-29-9066	5566 -06B2-210	6	39-29-9064	5566 -06B2GS	6	39-28-9068	5566 -06B2GS-210	6
39-29-9082	5566 -08B2	8	39-29-9086	5566 -08B2-210	8	39-29-9084	5566 -08B2GS	8	39-28-9088	5566 -08B2GS-210	8
39-29-9102	5566 -10B2	10	39-29-9106	5566 -10B2-210	10	39-29-9104	5566 -10B2GS	10	39-28-9108	5566 -10B2GS-210	10
39-29-9122	5566 -12B2	12	39-29-9126	5566 -12B2-210	12	39-29-9124	5566 -12B2GS	12	39-28-9128	5566 -12B2GS-210	12
39-29-9142	5566 -14B2	14	39-29-9146	5566 -14B2-210	14	39-29-9144	5566 -14B2GS	14	39-28-9148	5566 -14B2GS-210	14
39-29-9162	5566 -16B2	16	39-29-9166	5566 -16B2-210	16	39-29-9164	5566 -16B2GS	16	39-28-9168	5566 -16B2GS-210	16
39-29-9182	5566 -18B2	18	39-29-9186	5566 -18B2-210	18	39-29-9184	5566 -18B2GS	18	39-28-9188	5566 -18B2GS-210	18
39-29-9202	5566 -20B2	20	39-29-9206	5566 -20B2-210	20	39-29-9204	5566 -20B2GS	20	39-28-9208	5566 -20B2GS-210	20
39-29-9222	5566 -22B2	22	39-29-9226	5566 -22B2-210	22	39-29-9224	5566 -22B2GS	22	39-28-9228	5566 -22B2GS-210	22
39-29-9242	5566 -24B2	24	39-29-9246	5566 -24B2-210	24	39-29-9244	5566 -24B2GS	24	39-28-9248	5566 -24B2GS-210	24
	-			-			-			-	
	-			-			-			-	

SEE SHEET 1

EC NO: UCP2013-0706 2012/08/21
DRWN:NNGUYEN 2012/08/21
CHKD:JBELL 2012/09/05
APPR:FSMITH 2012/09/05
DESCRIPTION

R5
REV

QUALITY SYMBOLS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .015
2 PLACES	± 0.38	± .020
1 PLACE	± 0.50	± ---

ANGULAR ±1/2°

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: 1:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: RJF DATE: 8/19/87
CHECKED BY: GT DATE: 8/19/87
APPROVED BY: FSMITH DATE: 2012/01/10

TITLE: MINI-FIT JR. VERTICAL HEADER ASSEMBLIES WITH MOUNTING PEGS

MOLEX INCORPORATED

MATERIAL NO.: SEE CHART
DOCUMENT NO.: SDA-5566-N*2*-*
SHEET NO.: 2 OF 4

SIZE: C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

PLATING:	100 M.I. BRIGHT TIN
DRAIN HOLES:	WITHOUT DRAIN HOLES
MTG. OPTION:	WITH PEGS
HOUSING MAT'L:	NYLON 6/6 94V-2 NATURAL
PACKAGING:	PK-5566-001

PART NO.	ENG NO.	CKTS
39-30-6025	5566 -02A2S	2
39-30-6045	5566 -04A2S	4
39-30-6065	5566 -06A2S	6
39-30-6085	5566 -08A2S	8
39-30-6105	5566 -10A2S	10
39-30-6125	5566 -12A2S	12
39-30-6145	5566 -14A2S	14
39-30-6165	5566 -16A2S	16
39-30-6185	5566 -18A2S	18
39-30-6205	5566 -20A2S	20
39-30-6225	5566 -22A2S	22
39-30-6245	5566 -24A2S	24
	-	
	-	

PLATING:	100 M.I. BRIGHT TIN
DRAIN HOLES:	WITHOUT DRAIN HOLES
MTG. OPTION:	WITH PEGS
HOUSING MAT'L:	NYLON 6/6 94V-0 NATURAL
PACKAGING:	PK-5566-001

PART NO.	ENG NO.	CKTS
39-30-6026	5566 -02A2S-210	2
39-30-6046	5566 -04A2S-210	4
39-30-6066	5566 -06A2S-210	6
39-30-6086	5566 -08A2S-210	8
39-30-6106	5566 -10A2S-210	10
39-30-6126	5566 -12A2S-210	12
39-30-6146	5566 -14A2S-210	14
39-30-6166	5566 -16A2S-210	16
39-30-6186	5566 -18A2S-210	18
39-30-6206	5566 -20A2S-210	20
39-30-6226	5566 -22A2S-210	22
39-30-6246	5566 -24A2S-210	24
	-	
	-	

PLATING:	15 M.I. SELECT GOLD
DRAIN HOLES:	WITHOUT DRAIN HOLES
MTG. OPTION:	WITH PEGS
HOUSING MAT'L:	NYLON 6/6 94V-2 NATURAL
PACKAGING:	PK-5566-001

PART NO.	ENG NO.	CKTS
39-30-0026	5566 -02A2GS2	2
39-30-0046	5566 -04A2GS2	4
39-30-0066	5566 -06A2GS2	6
39-30-0086	5566 -08A2GS2	8
39-30-0106	5566 -10A2GS2	10
39-30-0126	5566 -12A2GS2	12
39-30-0146	5566 -14A2GS2	14
39-30-0166	5566 -16A2GS2	16
39-30-0186	5566 -18A2GS2	18
39-30-0206	5566 -20A2GS2	20
39-30-0226	5566 -22A2GS2	22
39-30-0246	5566 -24A2GS2	24
	-	
	-	

PLATING:	15 M.I. SELECT GOLD
DRAIN HOLES:	WITHOUT DRAIN HOLES
MTG. OPTION:	WITH PEGS
HOUSING MAT'L:	NYLON 6/6 94V-0 NATURAL
PACKAGING:	PK-5566-001

PART NO.	ENG NO.	CKTS
39-30-0027	5566 -02A2GS2-210	2
39-30-0047	5566 -04A2GS2-210	4
39-30-0067	5566 -06A2GS2-210	6
39-30-0087	5566 -08A2GS2-210	8
39-30-0107	5566 -10A2GS2-210	10
39-30-0127	5566 -12A2GS2-210	12
39-30-0147	5566 -14A2GS2-210	14
39-30-0167	5566 -16A2GS2-210	16
39-30-0187	5566 -18A2GS2-210	18
39-30-0207	5566 -20A2GS2-210	20
39-30-0227	5566 -22A2GS2-210	22
39-30-0247	5566 -24A2GS2-210	24
	-	
	-	

PLATING:	100 M.I. BRIGHT TIN
DRAIN HOLES:	WITH DRAIN HOLES
MTG. OPTION:	WITH PEGS
HOUSING MAT'L:	NYLON 6/6 94V-2 NATURAL
PACKAGING:	PK-5566-001

PART NO.	ENG NO.	CKTS
39-30-6027	5566 -02B2S	2
39-30-6047	5566 -04B2S	4
39-30-6067	5566 -06B2S	6
39-30-6087	5566 -08B2S	8
39-30-6107	5566 -10B2S	10
39-30-6127	5566 -12B2S	12
39-30-6147	5566 -14B2S	14
39-30-6167	5566 -16B2S	16
39-30-6187	5566 -18B2S	18
39-30-6207	5566 -20B2S	20
39-30-6227	5566 -22B2S	22
39-30-6247	5566 -24B2S	24
	-	
	-	

PLATING:	100 M.I. BRIGHT TIN
DRAIN HOLES:	WITH DRAIN HOLES
MTG. OPTION:	WITH PEGS
HOUSING MAT'L:	NYLON 6/6 94V-0 NATURAL
PACKAGING:	PK-5566-001

PART NO.	ENG NO.	CKTS
39-30-6028	5566 -02B2S-210	2
39-30-6048	5566 -04B2S-210	4
39-30-6068	5566 -06B2S-210	6
39-30-6088	5566 -08B2S-210	8
39-30-6108	5566 -10B2S-210	10
39-30-6128	5566 -12B2S-210	12
39-30-6148	5566 -14B2S-210	14
39-30-6168	5566 -16B2S-210	16
39-30-6188	5566 -18B2S-210	18
39-30-6208	5566 -20B2S-210	20
39-30-6228	5566 -22B2S-210	22
39-30-6248	5566 -24B2S-210	24
	-	
	-	

PLATING:	15 M.I. SELECT GOLD
DRAIN HOLES:	WITH DRAIN HOLES
MTG. OPTION:	WITH PEGS
HOUSING MAT'L:	NYLON 6/6 94V-2 NATURAL
PACKAGING:	PK-5566-001

PART NO.	ENG NO.	CKTS
39-30-0028	5566 -02B2GS2	2
39-30-0048	5566 -04B2GS2	4
39-30-0068	5566 -06B2GS2	6
39-30-0088	5566 -08B2GS2	8
39-30-0108	5566 -10B2GS2	10
39-30-0128	5566 -12B2GS2	12
39-30-0148	5566 -14B2GS2	14
39-30-0168	5566 -16B2GS2	16
39-30-0188	5566 -18B2GS2	18
39-30-0208	5566 -20B2GS2	20
39-30-0228	5566 -22B2GS2	22
39-30-0248	5566 -24B2GS2	24
	-	
	-	

PLATING:	15 M.I. SELECT GOLD
DRAIN HOLES:	WITH DRAIN HOLES
MTG. OPTION:	WITH PEGS
HOUSING MAT'L:	NYLON 6/6 94V-0 NATURAL
PACKAGING:	PK-5566-001

PART NO.	ENG NO.	CKTS
39-30-0029	5566 -02B2GS2-210	2
39-30-0049	5566 -04B2GS2-210	4
39-30-0069	5566 -06B2GS2-210	6
39-30-0089	5566 -08B2GS2-210	8
39-30-0109	5566 -10B2GS2-210	10
39-30-0129	5566 -12B2GS2-210	12
39-30-0149	5566 -14B2GS2-210	14
39-30-0169	5566 -16B2GS2-210	16
39-30-0189	5566 -18B2GS2-210	18
39-30-0209	5566 -20B2GS2-210	20
39-30-0229	5566 -22B2GS2-210	22
39-30-0249	5566 -24B2GS2-210	24
	-	
	-	

SEE SHEET 1
EC NO: UCP2013-0706 2012/08/21
DRWN:NNGUYEN 2012/08/21
CHKD:JBELL 2012/09/05
APPR:FSMITH 2012/09/05
DESCRIPTION
R5
REV

QUALITY SYMBOLS
F1 =0
F2 =0
F3 =0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .015
2 PLACES	± 0.38	± .020
1 PLACE	± 0.50	± ---

ANGULAR ±1/2°

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: 1:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

		DATE
DRAWN BY	RJF	8/19/87
CHECKED BY	GT	8/19/87
APPROVED BY	FSMITH	2012/01/10

TITLE: MINI-FIT JR. VERTICAL HEADER ASSEMBLIES WITH MOUNTING PEGS

MOLEX INCORPORATED

MATERIAL NO.: SEE CHART
DOCUMENT NO.: SDA-5566-N*2*-*
SHEET NO.: 3 OF 4
SIZE: C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

PLATING:	35 M.I. TIN
DRAIN HOLES:	WITHOUT DRAIN HOLES
MTG. OPTION:	WITH PEGS
HOUSING MAT'L:	NYLON 6/6 94V-2 (BLACK)
PACKAGING:	PK-5566-001

PART NO.	ENG NO.	CKTS
39-31-9028	5566 -02A2-BL	2
39-31-9048	5566 -04A2-BL	4
39-31-9068	5566 -06A2-BL	6
39-31-9088	5566 -08A2-BL	8
39-31-9108	5566 -10A2-BL	10
39-31-9128	5566 -12A2-BL	12
39-31-9148	5566 -14A2-BL	14
39-31-9168	5566 -16A2-BL	16
39-31-9188	5566 -18A2-BL	18
39-31-9208	5566 -20A2-BL	20
39-31-9228	5566 -22A2-BL	22
39-31-9248	5566 -24A2-BL	24
	-	
	-	

PLATING:	35 M.I. TIN
DRAIN HOLES:	WITHOUT DRAIN HOLES
MTG. OPTION:	WITH PEGS
HOUSING MAT'L:	94V-2 NATURAL
PACKAGING:	TUBE

PART NO.	ENG NO.	CKTS
39-34-8028	5566 -02A2-I	2
39-34-8048	5566 -04A2-I	4
39-34-8068	5566 -06A2-I	6
39-34-8088	5566 -08A2-I	8
39-34-8108	5566 -10A2-I	10
39-34-8128	5566 -12A2-I	12
39-34-8148	5566 -14A2-I	14
39-34-8168	5566 -16A2-I	16
39-34-8188	5566 -18A2-I	18
39-34-8208	5566 -20A2-I	20
39-34-8228	5566 -22A2-I	22
39-34-8248	5566 -24A2-I	24
	-	
	-	

PLATING:	
DRAIN HOLES:	
MTG. OPTION:	
HOUSING MAT'L:	
PACKAGING:	

PART NO.	ENG NO.	CKTS
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	

PLATING:	
DRAIN HOLES:	
MTG. OPTION:	
HOUSING MAT'L:	
PACKAGING:	

PART NO.	ENG NO.	CKTS
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	

PLATING:	
DRAIN HOLES:	
MTG. OPTION:	
HOUSING MAT'L:	
PACKAGING:	

PART NO.	ENG NO.	CKTS
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	

PLATING:	
DRAIN HOLES:	
MTG. OPTION:	
HOUSING MAT'L:	
PACKAGING:	

PART NO.	ENG NO.	CKTS
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	
	-	

SEE SHEET 1
EC NO: UCP2013-0706 2012/08/21
DRWN:NNGUYEN 2012/08/21
CHKD:JBELL 2012/09/05
APPR:FSMITH 2012/09/05
DESCRIPTION
R5
REV

QUALITY SYMBOLS
F =0
F =0
F =0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .015
2 PLACES	± 0.38	± .020
1 PLACE	± 0.50	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: 1:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY	RJF	DATE 8/19/87
CHECKED BY	GT	DATE 8/19/87
APPROVED BY	FSMITH	DATE 2012/01/10

TITLE: MINI-FIT JR. VERTICAL HEADER ASSEMBLIES WITH MOUNTING PEGS

MOLEX INCORPORATED

MATERIAL NO.: SEE CHART
DOCUMENT NO.: SDA-5566-N*2*-*
SHEET NO.: 4 OF 4
SIZE: C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

Стандарт Электрон Связь

Мы молодая и активно развивающаяся компания в области поставок электронных компонентов. Мы поставляем электронные компоненты отечественного и импортного производства напрямую от производителей и с крупнейших складов мира.

Благодаря сотрудничеству с мировыми поставщиками мы осуществляем комплексные и плановые поставки широчайшего спектра электронных компонентов.

Собственная эффективная логистика и склад в обеспечивает надежную поставку продукции в точно указанные сроки по всей России.

Мы осуществляем техническую поддержку нашим клиентам и предпродажную проверку качества продукции. На все поставляемые продукты мы предоставляем гарантию .

Осуществляем поставки продукции под контролем ВП МО РФ на предприятия военно-промышленного комплекса России , а также работаем в рамках 275 ФЗ с открытием отдельных счетов в уполномоченном банке. Система менеджмента качества компании соответствует требованиям ГОСТ ISO 9001.

Минимальные сроки поставки, гибкие цены, неограниченный ассортимент и индивидуальный подход к клиентам являются основой для выстраивания долгосрочного и эффективного сотрудничества с предприятиями радиоэлектронной промышленности, предприятиями ВПК и научно-исследовательскими институтами России.

С нами вы становитесь еще успешнее!

Наши контакты:

Телефон: +7 812 627 14 35

Электронная почта: sales@st-electron.ru

Адрес: 198099, Санкт-Петербург, Промышленная ул, дом № 19, литера Н, помещение 100-Н Офис 331